

# Study reveals new causes of mouth and throat cancer

April 4 2014

---



Poor oral health and failure to have regular dental checks could increase the risk of mouth and throat cancer, according to a pan-European study.

The research also suggests – based on a small number of tumour patients – that excessive use of mouthwash may also cause this particular form of cancer. Excessive use is defined as more than three times a day.

It has been established for some time that smoking and heavy alcohol

consumption, particularly in combination, are strongly related to mouth and throat cancers. Low socio-economic status is also recognised as a contributory factor.

Now, however, a new study carried out by researchers at the University of Glasgow Dental School – as part of a Europe-wide collaboration coordinated by the International Agency for Research on Cancer and led by the Leibniz Institute for Prevention Research and Epidemiology – BIPS in Bremen, Germany – has identified new [risk factors](#) for upper aerodigestive tract cancer (cancer of the mouth, larynx, pharynx and esophagus).

The study of 1,962 patients with mouth and throat cancers, with a further 1,993 people used as comparison control subjects, was conducted in 13 centres across nine countries and supported by EU funding.

Prof. Wolfgang Ahrens, Deputy Director of the BIPS, said: "These results are really important. Up until now, it was not really known if these dental risk factors were independent of the well known risks for mouth and throat cancers – smoking, alcohol and low socioeconomic status."

The researchers were able to strip out the causation factors of smoking, alcohol and socio-economic factors, and still found there was a connection between poor oral health and increased risk of mouth and throat cancers.

The findings are highly "nuanced" and there is an interconnectedness of many of the risk factors, he stressed, but there was now evidence that poor oral health and poor dental care were also part of the picture.

The definition of poor [oral health](#) included people who had complete or part dentures, people with persistently bleeding gums.

"People should not assume that if they wear dentures and have none of their own teeth left, they have no need to see a dentist," said Dr David Conway, Clinical Senior Lecturer at the University of Glasgow Dental School and one of the senior authors of the study. "On the contrary, even if you have got dentures, you should make sure you go for regular check-ups," he said.

People with poor dental care were defined as those who hardly ever or never brushed their teeth or visited the dentist. The frequency of dental visits should be determined by a dentist's risk assessment and if people fell into the low risk category it could be once a year or even every two years, said Dr Conway.

"It is not a case of 'one size fits all'. Visits could be six-monthly, but certainly not five-yearly," Dr. Conway added.

The possible role of mouthwash as a causative factor would require further research, said Professor Ahrens. There might be a relationship between excessive use of mouthwash and people who used it to mask the smell of smoking and alcohol. Nevertheless, the researchers found that "frequent use of mouthwashes (3-plus times per day) was associated with an elevated risk of developing [mouth](#) and [throat cancer](#)", although they were unable to analyse the types of mouthwash used many years ago by participants in the study.

Dr Conway said: "I would not advise routine use of mouthwash, full stop. There are occasions and conditions for which a dentist could prescribe a mouthwash – it could be that a patient has a low salivary flow because of a particular condition or medicine they are taking. But for me, all that's necessary in general is good regular brushing with a fluoride toothpaste and flossing combined with regular check-ups by a dentist."

**More information:** "Oral health, dental care and mouthwash associated with upper aerodigestive tract cancer risk in Europe: The ARCAGE study." Wolfgang Ahrens, et al. *Oral Oncology* - 28 March 2014 (10.1016/j.oraloncology.2014.03.001)

Provided by University of Glasgow

Citation: Study reveals new causes of mouth and throat cancer (2014, April 4) retrieved 24 April 2024 from <https://medicalxpress.com/news/2014-04-reveals-mouth-throat-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.