

Report: Secondhand smoke bad at any level

June 27 2006

There is no safe level of how much exposure a person has to secondhand tobacco smoke, the U.S. Surgeon General said in a report issued Tuesday.

In "The Health Consequences of Involuntary Exposure to Tobacco Smoke," Dr. Richard Carmona said even brief secondhand smoke exposure can cause immediate harm, including a 25 percent to 30 percent increase in risk of heart disease and a 20 percent to 30 percent increase in lung cancer risk in non-smoking adults.

The report said the findings are of major public health concern as nearly half of all non-smoking Americans are still regularly exposed to secondhand smoke.

However, Carmona noted progress in monitored levels of cotinine, a biological marker for secondhand smoke exposure, which have fallen in non-smokers by 70 percent since the late 1980s.

"Smoke-free indoor environments are proven, simple approaches that prevent exposure and harm," Carmona wrote.

The full report is available online at www.surgeongeneral.gov.

Copyright 2006 by United Press International

Citation: Report: Secondhand smoke bad at any level (2006, June 27) retrieved 28 April 2024 from <https://medicalxpress.com/news/2006-06-secondhand-bad.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.