

# Early exposure to indoor fungus molecules may protect infants against future allergies

April 30 2007

---

Maybe being a fussy housekeeper isn't such a good thing after all. Environmental health scientists at the University of Cincinnati (UC) say they have confirmed what other scientists have only suspected: early-life exposure to certain indoor fungal components (molecules) can help build stronger immune systems, and may protect against future allergies.

The UC team found that infants who were exposed to high levels of indoor fungal components—known as fungal glucans—were nearly three times less likely to wheeze compared with infants exposed to low levels.

Fungal glucans are tiny molecules that scientists believe cause respiratory symptoms in adults. Crawling infants are often exposed to these molecules when they disturb dust on carpet or floors in their homes.

Study lead author and environmental health scientist Yulia Iossifova says exposure to high levels of these molecules may also protect against allergy development in high-risk infants.

The immune system's protective effects only appear to occur when there are high levels of microbial exposure," she explains. "Cleaner environments do not have enough microbial components to trigger the immune system response."

The UC team reports their findings in the May 2007 edition of the scientific journal *Allergy*. This epidemiological study is the first to

suggest that early-life exposure to high levels of indoor fungal glucans can have a positive impact on the human immune system.

"Fungi are a diverse group of microorganisms, so species differ in their glucan content and allergenic proteins. Some fungi also contain mycotoxins that can contribute to disease," adds Tiina Reponen, PhD, professor of environmental health and corresponding author of the study. "Exposure to indoor molds during infancy may be associated with respiratory symptoms, such as persistent coughing and wheezing."

The UC-led team analyzed the effects of microbial exposures to both fungal glucans and endotoxins (natural compounds secreted from disease-causing agents like bacteria) in 574 infants, enrolled in the Cincinnati Childhood Allergy and Air Pollution Study (CCAAPS), who were identified as being at greater risk for future allergies because at least one parent had known allergies.

The CCAAPS, funded by the National Institute of Environmental Health Sciences, is a five-year study at UC examining the effects of environmental particulates on childhood respiratory health and allergy development.

UC researchers collected dust samples from each infant's primary activity room and analyzed them for indoor allergens, fungal glucans and bacterial endotoxins. They also gathered information about the home, including the presence of any visible mold and water damage. Environmental and food allergy development was monitored through annual skin prick tests.

Scientists say early-life exposure to common microbial components—like bacterial endotoxins and fungal glucans—can stimulate the body's immune system to produce infection- and allergy-fighting substances. Because of this, Iossifova says, people should avoid

overusing antibacterial sprays and soaps to clean their bodies and homes.

"Certain microbes can have helpful affects in the body," she explains, "but antibacterial disinfectants can't discriminate between helpful and harmful microbes—they destroy them all.

"This eliminates the natural competition among bacteria and fungi, so the surviving microbes are often the infectious ones that can develop resistance to drugs designed to eliminate them."

Iossifova says further research is needed to determine how early microbial exposures affect the development of certain allergic conditions—including asthma, dermatitis and hay fever—later in life.

Source: University of Cincinnati

Citation: Early exposure to indoor fungus molecules may protect infants against future allergies (2007, April 30) retrieved 3 May 2024 from <https://medicalxpress.com/news/2007-04-early-exposure-indoor-fungus-molecules.html>

|  |
|--|
| <p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p> |
|--|