

Free will takes flight: how our brains respond to an approaching menace

August 23 2007

Wellcome Trust scientists have identified for the first time how our brain's response changes the closer a threat gets. Using a "Pac Man"-like computer game where a volunteer is pursued by an artificial predator, the researchers showed that the fear response moves from the strategic areas of the brain towards more reactive responses as the artificial predator approaches.

When faced with a threat, such as a large bear, humans, like other animals, alter their behaviour depending on whether the threat is close or distant. This is because different defence mechanisms are needed depending on whether, for example, the bear is fifty feet away, when being aware of its presence may be enough, or five feet away, when we might need to fight or run away.

To investigate what happens in the brain in such a situation, researchers at the Wellcome Trust Centre for Neuroimaging at UCL, London, created a game where subjects were chased through a maze by an artificial predator – if caught, they would receive a mild electric shock. The researchers then measured their brain activity using functional magnetic resonance imaging (fMRI). The results are published today in the journal *Science*.

When the artificial predator was in the distance, the researchers observed activity in lower parts of the prefrontal cortex just behind the eyebrows. Activity in this area – known as the ventromedial prefrontal cortex – increases during anxiety and helps control strategies on how to



respond to the threat.

However, as the predator moved closer, the brain activity shifted to a region of the brain responsible for more primitive behaviour, namely the periaqueductal grey. The periaqueductal grey is associated with quick-response survival mechanisms, which include fight, flight and freezing. This region is also associated with the body's natural pain killer, opioid analgesia, preparing the body to react to pain.

Dr Dean Mobbs from UCL, lead author on the study, says: "Without fear, animals would not react to threats. This is a poor survival strategy and makes it more likely that the animal will be eaten and not pass on its genes.

"The most efficient survival strategy will depend on the level of threat we perceive. This makes sense as sometimes being merely wary of a threat is enough, but at other times we need to react quickly. The closer a threat gets, the more impulsive your response will be – in effect, the less free will you will have."

Although this natural defence mechanism is beneficial in evolutionary terms, Dr Mobbs believes that malfunctions in the system might help explain why some people suffer from anxiety disorders and panic attacks.

"When our defence mechanisms malfunction, this may result in an overexaggeration of the threat, leading to increased anxiety and, in extreme cases, panic," says Dr Mobbs. "Although brain-imaging studies like ours cannot directly help to cure such disorders, they do improve our understanding of how the emotional system operates. This is the first step to helping people with anxiety-related disorders."

Source: Wellcome Trust



Citation: Free will takes flight: how our brains respond to an approaching menace (2007, August 23) retrieved 1 May 2024 from <u>https://medicalxpress.com/news/2007-08-free-flight-brains-approaching-menace.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.