

Schizophrenics more likely to suffer from ruptured appendix

November 15 2007

People with mental illness suffer more than just psychological problems. People with schizophrenia are more likely to suffer from ruptured appendix than others, according to research published in the online open access journal, BMC Public Health.

Most studies of healthcare provision for patients with mental illness usually focus on psychological problems but often ignore physical disease. Jen-Huoy Tsay and colleagues at the National Yang Ming University, Taipei, Taiwan, R.O.C., have compared the outcomes of appendicitis sufferers, looking specifically at patients with and without mental illness, including schizophrenia and different major mental illnesses.

The team used Taiwanese National Health Insurance (NHI) hospitaldischarge data and compared the likelihood of a ruptured appendix among almost 100,000 people aged 15 and over who were hospitalized for acute appendicitis in Taiwan during the period 1997-2001

Tsay and colleagues found that a ruptured appendix occurred in 46.7 percent of the schizophrenic patients, in 43.4 percent of the patients with other major mental disorders, and in 25.1 percent of the patients with no major mental diseases. More ruptured cases were found among males and older patients.

After adjusting for age, gender, ethnicity, socioeconomic background, and hospital characteristics, the team found that patients with



schizophrenia were still almost three times as likely to suffer a ruptured appendix as the general population. The presence of affective psychoses or other major mental disorders did not, however, remain associated with a significantly increased risk of rupture.

The findings suggest that, even though the NHI program reduces financial barriers to care for people with mentally illness, schizophrenics are still at a disadvantage in obtaining timely treatment for physical problems.

Source: BioMed Central

Citation: Schizophrenics more likely to suffer from ruptured appendix (2007, November 15) retrieved 5 May 2024 from https://medicalxpress.com/news/2007-11-schizophrenics-ruptured-appendix.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.