


Connection between startled response and schizophrenia

November 13 2007



Expression of Fabp7 protein in mouse brains at embryonic day 16 (left) and postnatal day 0 (right). At both stages, Fabp7 is strongly expressed in the ventricular zone and radial glia, where neurogenesis is prominent. Image: Yoshikawa et al.

Schizophrenia is a debilitating psychiatric illness. Its cause is currently poorly understood, and there is no known cure. In a new study published online this week in the open-access journal *PLoS Biology*, Akiko Watanabe and colleagues report the identification of a gene linked to the condition.

Of particular interest to the study of schizophrenia is the so-called “gating” mechanism in the brain. This mechanism organizes information

that comes from the sense organs, and when it malfunctions, it is believed to be responsible for the characteristic symptoms of schizophrenia: delusions, hallucinations, and social withdrawal.

Watanabe and colleagues, working in both Japan and the US, studied a behavior known to indicate a faulty gating mechanism: prepulse inhibition (PPI). A loud noise should make any animal jump, unless the noise is preceded by a quieter noise, which acts as a warning. However, in some individuals with schizophrenia, PPI fails. Even noises with a preceding quiet “warning” sound will cause a startle response. Watanabe et al. investigated PPI in over 1000 mice to identify genetic variation that might underlie differences in startle response. The search honed in on the gene *Fabp7*.

Fabp7 (fatty acid binding protein) is involved in brain development and mental signaling. Mice that had faulty PPI had greater amounts of *Fabp7*, and so did the brains of deceased human patients who had experienced schizophrenia. The paper also offers some hope for the future. The authors suggest testing the benefit of altered diet during pregnancy for women with a high risk of having schizophrenic babies, as changes in the amount of *Fabp7* may be linked to problems with lipid metabolism.

Citation: Watanabe A, Toyota T, Owada Y, Hayashi T, Iwayama Y, et al. (2007) *Fabp7* maps to a quantitative trait locus for a schizophrenia endophenotype. *PLoS Biol* 5(11): e297.
doi:10.1371/journal.pbio.0050297 (www.plosbiology.org)

Source: Public Library of Science

Citation: Connection between startled response and schizophrenia (2007, November 13)

retrieved 18 April 2024 from

<https://medicalxpress.com/news/2007-11-startled-response-schizophrenia.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.