

## Chopped up proteins trigger autoimmunity

January 24 2008

Multipotent adult progenitor stem cells extracted from bone marrow, and known as MAPCs, have proved to be effective in the regeneration of blood vessel tissue and also in muscle tissue when treating peripheric vascular disease.

He has also discovered that PM/Scl-75, one of the components from which the exosome is built, is cut as soon as a cell dies. Finally, Schilders has identified an exosome-associated protein that is also frequently recognised by antibodies. These antibodies possibly form an interesting additional marker for the diagnosis of the PM/Scl overlap syndrome.

In people who suffer from an autoimmune disease, the immune system has been disrupted to such an extent that it produces antibodies against a person's own substances. In polymyositis/sclerodermia (PM/Scl) overlap syndrome these antibodies are targeted at the exosome.

This complex of proteins is involved in the degradation of RNA in the cell. RNA forms an essential link in the flow of information in a cell and, therefore, a strict control over the degradation of RNA is vitally important.

Source: Netherlands Organization for Scientific Research

Citation: Chopped up proteins trigger autoimmunity (2008, January 24) retrieved 24 April 2024 from <a href="https://medicalxpress.com/news/2008-01-proteins-trigger-autoimmunity.html">https://medicalxpress.com/news/2008-01-proteins-trigger-autoimmunity.html</a>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.