

Post-stroke clot-busting therapy beneficial for patients on aspirin

March 10 2008

Patients given a clot-busting drug following stroke appear to have better outcomes if they were already taking anti-platelet medications, despite an apparent increased risk for bleeding in the brain, according to an article posted online today that will appear in the May 2008 print issue of *Archives of Neurology*.

Dissolving blood clots by administering the drug tissue plasminogen activator (tPA) appears to improve outcomes in some patients with stroke, according to background information in the article. However, the medication is associated with a 10-fold increased risk of symptomatic brain hemorrhage (bleeding). Antiplatelet medications, such as aspirin, might further increase the risk for bleeding because these drugs impair the function of cells critical in forming blood clots.

Maarten Uyttenboogaart, M.D., and colleagues at the University of Groningen, Groningen, the Netherlands, studied 301 patients who received tPA following stroke between 2002 and 2006. Of those, 89 had used antiplatelet drugs prior to receiving tPA.

Symptomatic brain hemorrhages occurred in 12 patients who had received antiplatelet therapy (13.5 percent) and six patients who had not (2.8 percent). Patients who had been taking antiplatelet therapy had a higher risk for symptomatic brain hemorrhages. "Despite this increased risk, prior antiplatelet therapy increased the odds of a favorable outcome," defined as the ability to independently carry out activities of daily living after three months, the authors write. "Therefore, our study



suggests that tPA treatment should not be withheld from patients receiving antiplatelet therapy."

Source: JAMA and Archives Journals

Citation: Post-stroke clot-busting therapy beneficial for patients on aspirin (2008, March 10) retrieved 25 April 2024 from https://medicalxpress.com/news/2008-03-post-stroke-clot-busting-therapy-beneficial-patients.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.