

Implementation of breast health guidelines for developing countries published

October 6 2008

A special supplement of the Oct. 15 journal *Cancer* for the first time details guidelines for low- and middle-income countries to implement breast cancer programs to detect and treat the most common disease among women worldwide.

"Guidelines for International Breast Health and Cancer Control – Implementation" developed by the Breast Health Global Initiative (BHGI) outlines a tiered system of resource allocation - based on countries' overall economic status and availability of resources – toward early detection, diagnosis, treatment, and developing an overall breast health program. Other papers contained in the supplement outline how countries implement programs in breast pathology, radiation treatment, surgery and treatment of locally-advanced cancer.

"The breast health guidelines for implementation will be an essential medical reference for low- and middle-income countries to improve breast health outcomes," said Benjamin O. Anderson, M.D., founder, chair and director of the Seattle-based BHGI organization BHGI, an alliance comprised of a strategic mix of internationally-focused health care organizations, was founded by Fred Hutchinson Cancer Research Center and Susan G. Komen for the Cure.

"The BHGI guidelines are intended to assist ministers of health, policymakers, administrators and institutions in prioritizing resource allocation as breast cancer treatment programs are implemented and developed in their resource-constrained countries," the authors note in

their overview of the 172-page supplement. The 16 articles by 56 authors from around the world are the culmination of work begun in 2002 when the first of three global summits on breast health took place.

"The development and implementation of these international evidence-based breast health care guidelines, which are oriented to countries or regions of the world with limited financial resources, is a crucial step toward improving breast health care and breast cancer care in these regions," said Anderson. "Current evidence about the value of earlier detection and cost-effective diagnosis and treatment can be applied to define best practices with limited resources for breast health care. While health care strategies may differ, measurable improvement in breast cancer outcomes can be achieved using the best standard of care that is practical in a given setting."

Why breast cancer and why low- to middle-income countries? Breast cancer comprises 23% of all female cancers. It's also the leading cause of cancer mortality. There is a marked geographical variation in case fatality rates, which are highest in developing countries and lowest in developed ones. Further, women in poor- and middle-income nations generally are diagnosed when their cancer has progressed due to lack of resources to detect cancer earlier, resulting in increased morbidity and mortality.

Source: Fred Hutchinson Cancer Research Center

Citation: Implementation of breast health guidelines for developing countries published (2008, October 6) retrieved 24 April 2024 from <https://medicalxpress.com/news/2008-10-breast-health-guidelines-countries-published.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.