

Light shines for potential early cancer diagnosis technique

December 11 2008

A team led by a Northwestern University biomedical engineer has developed a new optical technique that holds promise for minimally invasive screening methods for the early diagnosis of cancer.

The researchers have shown for the first time that nanoscale changes are present in cells extremely early on in carcinogenesis. Their technique, partial-wave spectroscopy (PWS), can detect subtle abnormal changes in human colon cancer cells even when those same cells appear normal using conventional microscopy.

The study is published online by the *Proceedings of the National Academy of Sciences*.

A simple yet sensitive method, PWS quantifies the statistical properties of cell nanoscale architecture by using the signal generated by light waves striking the cell.

PWS can provide information not only about individual cells, but it also can look inside the cell and see the cell's fundamental "building blocks," such as proteins, nucleosomes and intracellular membranes, and detect changes to this cell nanoarchitecture. Conventional microscopy cannot do this, and other techniques that can (to some degree) are expensive and complex.

"Imagine a cell as a house and the cell's fundamental building blocks as bricks," said Vadim Backman, professor of biomedical engineering at

Northwestern's McCormick School of Engineering and Applied Science.

"Our technique can see not only the sizes of the house's bricks but the details of those bricks. And it can show when those bricks are in trouble even when the house looks normal. Conventional microscopy can see the individual houses but not the bricks that make up the house. That's a significant difference," said Backman, who led the research.

Backman and his colleagues studied both human colon cancer cell lines and cells from a colon cancer animal model. In both cases, the PWS technique showed that an increase in the disorder of cells on the nanoscale parallels genetic events in the early stages of carcinogenesis.

"We have to look at cell morphology at the nanoscale," said Backman. "Cells are not just a bag of molecules -- the nanoarchitecture can control many cellular processes and activities."

The team studied three variants of malignant human cells, each exhibiting a different degree of aggressive behavior. (In all three, the malignancy resulted from genetic alteration.)

Using PWS, the researchers were able to distinguish each cell line. They found architectural disorder in all three but of varying degrees; the most aggressively malignant cell line showed the most intracellular disorder. When viewed using microscopy, all three cell lines looked normal, and each was indistinguishable from the others. The same trend was found in the researchers' study of cells from an animal model.

"If the PWS screening technique for colon cancer is validated by appropriate clinical trials, there is the potential for preventing many thousands of cancer deaths each year," said Allen Taflove, professor of electrical engineering and computer science at Northwestern. He collaborated with Backman in conducting computer simulations of how

light interacts with the complex structure of a cell and is an author of the paper.

In addition to cancer research, PWS could find use in biomechanics (to study the nanoscale architecture of polymers, materials or tissue), tissue engineering and stem cell research.

"Anywhere you use microscopy you could use PWS and get more information," said Backman. "PWS can work with virtually anything, and it can detect features as small as 20 nanometers."

Source: Northwestern University

Citation: Light shines for potential early cancer diagnosis technique (2008, December 11) retrieved 18 April 2024 from <https://medicalxpress.com/news/2008-12-potential-early-cancer-diagnosis-technique.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.