

No Need to Whisper: Talking and Treating Erectile Dysfunction

February 4 2009

Men don't necessarily need medications to have a romantic Valentine's Day. In fact, there are steps they can take to treat their erectile dysfunction without heading to the doctor or drugstore. Here are three simple tips to improve their performance in the bedroom.

The conversation about male sexual dysfunction has grown from a whisper to a roar. From Bob Dole to Mike Ditka, erectile dysfunction, or ED, is no longer hush-hush as more men are talking more openly. Non-stop commercials convey help in the bedroom is just a prescription away. And while some 35 million men in this country have found a renewed sex life thanks to the "little blue pill," Temple urologist Jack Mydlo says men can improve their performance without a visit to the doctor or a drugstore.

"The last thing I want them to do is take a pill and jump in bed because a certain part of the mechanism for erections is psychological. They have to be in the right mood, with the right person and take care of themselves" said Mydlo, MD, professor and chair of the department of urology at the School of Medicine.

Surprisingly, a good percentage of men who seek medical help aren't even in a relationship.

"About thirty percent of the men who have a penile prosthesis don't even have a partner," said Mydlo. "They're putting the cart before the horse, so to speak, and think they'll get a partner once they have the implant.

Instead, Mydlo offers simple tips this Valentine's Day to turn a man's potency from terrible to terrific.

Stop smoking Diabetes and high blood pressure restrict blood flow to the penis, leading to erectile dysfunction. But if you can rule those conditions out as causes of ED, the next culprit in line is cigarettes. "The number one thing we can do to stop erectile dysfunction is to stop smoking. It's the number one environmental cause of ED in our society," says Mydlo. Again, smoking restricts blood flow. The catch? Don't expect better erections the minute you stop lighting up. He says it takes 12 to 24 months for better function once you quit the habit.

Control cholesterol Cholesterol is a trigger of sorts for ED. "Men with a cholesterol level of 240 or higher have almost a twofold increase of ED compared to a man who has lower cholesterol numbers," says Mydlo. That's because high levels of cholesterol lead to plaque buildup in tubes (corpa cavernosa) in the penis and arteries, which can greatly reduce blood flow. And no blood flow means no erection. So start exercising and check with your doctor about cholesterol-lowering medications.

Cut back on fat Obesity is to blame not only for men with self-esteem issues involving their appearance, but also their performance. "Adipose tissue in body fat converts testosterone to estrogen, and lower levels of testosterone can make it difficult for a man to achieve an erection, no matter how many pills they take," says Mydlo. Losing weight will improve the testosterone to estrogen ratio, which may improve sex drive, or libido, as well as erections. It also decreases cholesterol, which will help improve blood flow.

For some of the 18 million men who have erectile dysfunction, these three tips may do the trick. For others, Mydlo suggests a visit to a urologist to go over options, ranging from pumps to implants to pills, like Viagra®, Cialis®, and Levitra.® There is one factor, though, that Mydlo

can't help with but Cupid probably can: finding the right mate.

“They believe if they don't have good sexual function, who is going to want them? But the truth is, if you don't have a mental connection with your partner, everything will be for naught.”

Provided by Temple University

Citation: No Need to Whisper: Talking and Treating Erectile Dysfunction (2009, February 4)
retrieved 20 April 2024 from <https://medicalxpress.com/news/2009-02-erectile-dysfunction.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.