

Vitamin D may halt lung function decline in asthma and COPD

May 20 2009

Vitamin D may slow the progressive decline in the ability to breathe that can occur in people with asthma as a result of human airway smooth muscle (HASM) proliferation, according to researchers at the University of Pennsylvania.

The group found that calcitriol, a form of <u>vitamin D</u> synthesized within the body, reduced growth-factor-induced HASM proliferation in cells isolated from both persons with asthma and from persons without the disease. The proliferation is a part of process called airway <u>remodeling</u>, which occurs in many people with asthma, and leads to reduced <u>lung</u> <u>function</u> over time.

The researchers believe that by slowing airway remodeling, they can prevent or forestall the irreversible decline in breathing that leaves many asthmatics even more vulnerable when they suffer an asthma attack.

"Calcitriol has recently earned prominence for its anti-inflammatory effects," said Gautam Damera, Ph.D., who will present the research at the American Thoracic Society's 105th International Conference in San Diego on Wednesday, May 20. "But our study is the first to reveal the potent role of calcitriol in inhibiting ASM proliferation."

The experiments were conducted with cells from 12 subjects, and the researchers compared calcitriol with dexmethasone, a corticosteroid prescribed widely for the treatment of asthma. Although, dexmethasone is also a powerful anti-inflammatory agent, the researchers found that it



had little effect on HASM growth.

Dr. Damera and his colleagues found calcitriol inhibits HASM in a dosedependent manner, with a maximum inhibitory effect of 60 percent \pm 3 percent at 100nM.

As part of the University of Pennsylvania's Airway Biology Initiative, the researchers are planning a randomized control trial of calcitriol in patients with severe asthma and expect to have data from the trial in about a year's time.

With its anti-inflammatory qualities and its ability to inhibit smooth muscle proliferation, Dr. Damera said, calcitriol may become an important new therapy, used alone or in combination with already prescribed steroids, for treating steroid-resistant asthma.

Dr. Damera and his colleagues have also conducted experiments to determine the mechanism by which calcitriol retards HASM proliferation. They believe the vitamin works by inhibiting activation of distinct set of proteins responsible for cell-cycle progression.

The investigators have also conducted experiments to determine whether calcitriol, which is currently used to treat psoriasis, could be an effective therapy for COPD. Although preliminary, their data shows that calcitriol appears to reduce pro-inflammatory cytokine secretions in COPD. As with <u>asthma</u>, the researchers believe, calcitriol may also have the added benefit of slowing, if not stopping, the progression of airway remodeling. Others in the field believe calcitriol may also have the potential to inhibit the development and growth of several types of cancer.

Source: American Thoracic Society (<u>news</u> : <u>web</u>)



Citation: Vitamin D may halt lung function decline in asthma and COPD (2009, May 20) retrieved 4 May 2024 from https://medicalxpress.com/news/2009-05-vitamin-d-halt-lung-function.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.