

Children with newly diagnosed epilepsy at risk for cognitive problems

August 12 2009

Children who have normal IQs before they experience a first seizure may also have problems with language, memory, learning and other cognitive skills, according to a study published in the August 12, 2009, online issue of *Neurology*, the medical journal of the American Academy of Neurology.

"Our study highlights the importance of testing [children](#) with epilepsy for possible cognitive problems soon after they are diagnosed with epilepsy in order to avoid these issues affecting them later in life, especially if they have additional risk factors," said study author Philip Fastenau, PhD, Professor of Neurology at Case Western Reserve University School of Medicine and the Neurological Institute of University Hospitals in Cleveland, OH. The research was done in collaboration with Indiana University Purdue University in Indianapolis and Cincinnati Children's Hospital Medical Center.

The study involved 282 school-aged children with an IQ of at least 70 who experienced their first [seizure](#) within the previous three months. They were then compared to 147 of their siblings without seizures. Scientists looked at whether the children with seizures also had other risk factors associated with cognitive problems, including multiple seizures, use of epilepsy drugs, or signs of epilepsy on early tests of brain waves.

Of the children who experienced one seizure, 27 percent showed cognitive difficulties at or near the time of the first seizure and 40

percent of children who had additional risk factors showed signs of cognitive problems. A child with all four risk factors was three times more likely to experience cognitive problems by the first clinic visit compared to children who were seizure-free.

The study also showed that children who took epilepsy drugs had difficulties in processing speed, language, [verbal memory](#) and learning compared to children who did not take any epilepsy drugs.

"Children who take these medications should be closely monitored for cognitive problems resulting from the epilepsy drug," said Fastenau. "Surprisingly, our study also found academic achievement in these children was unaffected around the time of the first visit about three months after the first seizure in this study, suggesting there is a window early in epilepsy for intervention to avoid hurting a child's performance at school."

"Because this study found cognitive problems at the time of the first seizure or soon after, it provides strong evidence that these [cognitive problems](#) can be attributed to underlying brain abnormalities that lead to the epilepsy, rather than from extended exposure to [epilepsy](#) drugs or the effect of numerous seizures," said David Loring, PhD, of Emory University in Atlanta, who wrote an editorial accompanying the study.

Source: American Academy of Neurology ([news](#) : [web](#))

Citation: Children with newly diagnosed epilepsy at risk for cognitive problems (2009, August 12) retrieved 10 April 2024 from <https://medicalxpress.com/news/2009-08-children-newly-epilepsy-cognitive-problems.html>

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.