

New national study finds increase in P.E. class-related injuries

August 3 2009

Physical education (PE) in schools is one of the main tools used to increase physical activity and to prevent childhood obesity, and PE-related injuries are on the rise. Although increasing physical activity may reduce obesity, it may also increase the risk of injury. While recognizing that PE classes and physical activity are important components in combating obesity, parents and school administrators should remain vigilant for injuries.

A recent study conducted by the Center for [Injury](#) Research and Policy of The Research Institute at Nationwide Children's Hospital, found that the number of PE-related injuries to elementary, middle and high school students in the United States increased 150 percent between 1997 and 2007.

According to the study, published in the online issue of *Pediatrics*, the most common PE-related injuries were lower-extremity sprains and strains (23 percent), followed by upper extremity sprains and strains (14 percent) and fractures (14 percent). Middle school-aged children (11-14 years of age) accounted for the majority of PE-related injuries (52 percent). Elementary school-aged children (5-10 years of age) had almost double the odds of a head injury, compared with other injuries.

Nearly 70 percent of PE-related injuries occurred while children were participating in six activities (running, basketball, football, volleyball, soccer and gymnastics). Injuries were caused by contact with another person, playing surface, equipment, stationary structures, pulled muscles,

overuse and activity-related illnesses such as heat stroke.

"The 150 percent increase in PE-related injuries presenting to emergency departments was consistent across gender and age groups. It is unlikely that this increase was attributable to an increase in PE participation," explained study author Lara McKenzie, PhD, principal investigator at the Center for Injury Research and Policy at Nationwide Children's Hospital and faculty member of The Ohio State University College of Medicine. "Identifying patterns of PE-related injuries is the first step toward preventing them. Injury prevention education should be made a priority for all PE activities, especially for those activities with the highest injury rates."

This is the first published study to examine PE-related injuries on a national level. Data for this study were collected from the National Electronic Injury Surveillance System (NEISS), which is operated by the U.S. Consumer Product Safety Commission. The NEISS dataset provides information on consumer product-related and sports and recreation-related injuries treated in hospital emergency departments across the country.

Source: Nationwide Children's Hospital ([news](#) : [web](#))

Citation: New national study finds increase in P.E. class-related injuries (2009, August 3)
retrieved 4 May 2024 from
<https://medicalxpress.com/news/2009-08-national-pe-class-related-injuries.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--