

Chronic pain treatments work better together, says anesthesiologist

September 30 2009

People who suffer from debilitating neuropathic pain may get more relief and sleep better by combining two commonly-prescribed drugs.

A new, federally-funded study by Queen's University researchers has found that taking the drugs together is a more effective treatment than taking either of them individually.

When given both an anti-seizure drug (gabapentin) and an antidepressant (nortriptyline), patients suffering from neuropathic pain caused by <u>nerve</u> <u>damage</u> or disease experienced less pain than when they took one or the other individually, reports Ian Gilron, director of Clinical Pain Research for Queen's Departments of <u>Anesthesiology</u>, and <u>Pharmacology</u> & Toxicology, and an anesthesiologist at Kingston General Hospital.

"It was also exciting to discover the effect of this combination on sleep interference," adds Dr. Gilron, noting that people rated sleep interference with the combined drugs as 1.0 on a scale of 10, compared to 2.2 when they took each drug individually. "That's a very important issue for this group of patients, whose debilitating, unrelenting pain often interferes with normal sleep."

This is the first time Dr. Gilron has been able to find a drug combination that also helps patients sleep better. An earlier trial investigated the effects of combining morphine - the other type of commonly prescribed drug for neuropathic pain - with the anti-seizure drug gabapentin. The patients' pain lessened significantly, but they still had as much trouble



sleeping.

Dr. Gilron says it's important to understand how drugs interact, since 45 per cent of Canadians being treated for neuropathic pain take two or more pain drugs. There may also be safety issues. "We need more evidence from carefully conducted trials in support of each particular combination, and let the doctors and patients know about such results," Dr. Gilron stresses.

While this research focuses on two specific types of neuropathic pain diabetic neuropathy and postherpetic neuralgia - the methodology could also be applied to the study of other chronic conditions such as cancerrelated pain, spinal disk disease, and the pain experienced after chemotherapy and mastectomies, says Dr. Gilron.

Results of the study, funded by the Canadian Institutes of Health Research (CIHR), are published today in the international health journal, The *Lancet*.

"This is a very interesting and important result," says Dr. Jane Aubin, Scientific Director of CIHR's Institute of Musculoskeletal Health and Arthritis. "Many chronic pain sufferers don't sleep well, and they get caught in a vicious cycle in which less <u>sleep</u> equals more <u>pain</u>. Dr. Gilron's work offers new hope to Canadians desperate to put an end to this debilitating situation."

Source: Queen's University (<u>news</u> : <u>web</u>)

Citation: Chronic pain treatments work better together, says anesthesiologist (2009, September 30) retrieved 1 May 2024 from <u>https://medicalxpress.com/news/2009-09-chronic-pain-treatments-anesthesiologist.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.