

## Adding tools against breast tumors

October 27 2009

---

At the end of a 10-year, coast-to-coast study of women with an unusual form of breast cancer, Richard J. Barth Jr., M.D., and three fellow researchers are making the case for a particular combination of treatments to stop the tumors in their tracks.

In the August 2009 issue of the [Annals of Surgical Oncology](#), Barth, an associate professor of surgery at Dartmouth Medical School (DMS), and his colleagues—among them Wendy Wells, M.D., a professor of pathology at DMS—recommend using adjuvant radiotherapy on patients who undergo breast-conserving surgery to control borderline-malignant and malignant phyllodes tumors.

Following the progress of 46 women who received follow-up radiotherapy at 30 different institutions in 18 states, the research team found that none developed new tumors in the areas in which surgeons performed margin-negative resection. Among nearly 500 [women](#) nationwide who are diagnosed with the condition every year and undergo only the surgery, the researchers say, tumors recur in 24 percent of patients with borderline malignant tumors and 20 percent of those with malignant tumors.

More information: The journal article can be viewed [here](#).

Source: Dartmouth Medical School ([news](#) : [web](#))

Citation: Adding tools against breast tumors (2009, October 27) retrieved 27 April 2024 from <https://medicalxpress.com/news/2009-10-adding-tools-breast-tumors.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.