

Researchers unlock the 'sound of learning' by linking sensory and motor systems

November 2 2009



This is a participant in the study using a speech learning robotic device. Credit: David Ostry, Yale University, Haskins Lab

Learning to talk also changes the way speech sounds are heard, according to a new study published in *Proceedings of the National Academy of Sciences* by scientists at Haskins Laboratories, a Yale-affiliated research laboratory. The findings could have a major impact on improving speech disorders.

"We've found that learning is a two-way street; motor function affects sensory processing and vice-versa," said David J. Ostry, a senior scientist at Haskins Laboratories and professor of psychology at McGill University. "Our results suggest that learning to talk makes it easier to

understand the [speech](#) of others."

As a child learns to talk, or an adult learns a new language, Ostry explained, a growing mastery of oral fluency is matched by an increase in the ability to distinguish different speech sounds. While these abilities may develop in isolation, it is possible that learning to talk also changes the way we hear speech sounds.

Ostry and co-author Sazzad M. Nasir tested the notion that speech motor learning alters auditory perceptual processing by evaluating how speakers hear speech sounds following motor learning. They simulated speech learning by using a [robotic device](#), which introduced a subtle change in the movement path of the jaw during speech.

To assess speech perception, the participants listened to words one at a time that were taken from a computer-produced continuum between the words "had" and "head." In the speech learning phase of the study, the robot caused the jaw to move in a slightly unusual fashion. The learning is measured by assessing the extent to which participants correct for the unusual movement.

"Its like being handed a two-pound weight for the first time and being asked to make a movement, it's uncomfortable at first, but after a while, the movement becomes natural," said Ostry. "In growing children, the nervous system has to adjust to moving vocal tract structures that are changing in size and weight in order to produce the same words. Participants in our study are learning to return the movement to normal in spite of these changes. Eventually our work could have an impact on deviations to speech caused by disorders such as stroke and Parkinson's disease."

"Our study showed that speech motor learning altered the perception of these [speech sounds](#). After motor learning, the participants heard the

words differently than those in the control group," said Ostry. "One of the striking findings is that the more motor learning we observed, the more their speech perceptual function changed."

Ostry said that future research will focus on the notion that sensory remediation may be a way to jumpstart the motor system.

The team previously found that the movement of facial muscles around the mouth plays an important role not only in the way the sounds of speech are made, but also in the way they are heard.

More information: *PNAS*: Early Edition November 2, 2009;
[doi:10.1073/pnas.907032106](https://doi.org/10.1073/pnas.907032106)

Source: Yale University ([news](#) : [web](#))

Citation: Researchers unlock the 'sound of learning' by linking sensory and motor systems (2009, November 2) retrieved 18 April 2024 from <https://medicalxpress.com/news/2009-11-linking-sensory-motor.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--