

Researchers find yoga may be effective for chronic low back pain

November 4 2009

Researchers from Boston University School of Medicine (BUSM) and Boston Medical Center found that yoga may be more effective than standard treatment for reducing chronic low back pain in minority populations. This study appears in the November issue of *Alternative Therapies in Health and Medicine*.

Low back [pain](#) is common in the United States, resulting in substantial disability and cost to society. Individuals from low-income, minority backgrounds with chronic [low back pain](#) (CLBP) may be more affected due to disparities in access to treatment. Although many CLBP patients seek relief from complementary therapies such as [yoga](#), use of these approaches are less common among minorities and individuals with lower incomes or less education.

BUSM researchers recruited adults with CLBP from two community health centers that serve racially diverse, low-income neighborhoods of Boston. They were randomly assigned to either a standardized 12-week series of hatha yoga classes or standard treatment including doctor's visits and medications.

As part of the trial, the researchers asked participants to report their average pain intensity for the previous week, how their function is limited due to back pain, and how much [pain medication](#) they are taking. The yoga group participated in 12 weekly 75-minute classes that included postures, breathing techniques, and meditation. Classes were taught by a team of registered yoga teachers and were limited to eight

participants. Home practice for 30 minutes daily was strongly encouraged. Participants were provided with an audio CD of the class, a handbook describing and depicting the exercises, a yoga mat, strap, and block.

Pain scores for the yoga participants decreased by one-third compared to the control group, which decreased by only 5 percent. Whereas pain medication use in the control group did not change, yoga participants' use of pain medicines decreased by 80 percent. Improvement in function was also greater for yoga participants but was not statistically significant.

"Few studies of complementary therapies have targeted minority populations with low back pain" explained lead author Robert B. Saper, MD, MPH, an assistant professor of family medicine at BUSM and director of integrative medicine at Boston Medical Center. "Our pilot study showed that yoga is well-received in these communities and may be effective for reducing pain and pain medication use," said Saper.

Source: Boston University Medical Center

Citation: Researchers find yoga may be effective for chronic low back pain (2009, November 4) retrieved 3 May 2024 from

<https://medicalxpress.com/news/2009-11-yoga-effective-chronic-pain.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--