

Family life can lead to cannabis disorders

December 9 2009

(PhysOrg.com) -- One in five young people experience a cannabis use disorder, according to a UQ and Mater Hospital study published today in the *American Journal of Drug and Alcohol Abuse*.

The findings reveal the characteristics of those who are more likely to experience a [cannabis](#) use disorder.

Half of the 21 year olds in the study reported having use of cannabis in their lifetime, and 21 percent were classified as ever having ever had a cannabis use disorder.

Males were much more likely than females to have experienced cannabis abuse or dependence.

Children whose mothers had frequently changed their marital status or who experience sexual abuse at childhood were more likely to develop a cannabis use disorder by 21 years.

Those who showed aggressive or delinquent behaviour at 14 years were more than twice as likely as other children to develop a cannabis use disorder by 21 years.

Young adults who reported poor academic performance, or have smoked a cigarette or consumed alcohol by 14 years were more likely to use and develop a cannabis disorder than others who have not.

Dr Reza Hayatbakhsh, a researcher at the Queensland Alcohol Drug

Research and Education Centre at UQ's School of Population Health and lead author of the paper, believes that the study is a breakthrough for policy makers and health professionals.

“The majority of those who experience a cannabis disorder by 21 years of age are at moderate to high risk, based upon our data,” Dr Hayatbakhsh said.

“Policy makers could focus on addressing the health needs of young persons with aggressive or delinquent behaviour, to limit the [tobacco use](#) of young people, and to the prevention of [childhood sexual abuse](#).

“Clinicians and health workers treating cannabis-related problems should consider the individual's background as a possible contributor not only to their use of cannabis, but factors which may continue to limit the effectiveness of a treatment program.”

The study is based on the Mater-University Study of Pregnancy, Australia's largest longitudinal study which has tracked over 8000 mothers and their children over a 21 year period.

More information: The paper can be accessed at [www.informaworld.com/smpp/cont ... l~content=a917514740](http://www.informaworld.com/smpp/cont...l~content=a917514740)

Provided by University of Queensland ([news](#) : [web](#))

Citation: Family life can lead to cannabis disorders (2009, December 9) retrieved 25 April 2024 from <https://medicalxpress.com/news/2009-12-family-life-cannabis-disorders.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is

provided for information purposes only.