

# It's never too late to quit smoking and save your vision

December 31 2009

---

Need a little extra incentive to kick the habit? Just in time for New Year's resolutions, a UCLA study finds that even after age 80, smoking continues to increase one's risk for age-related macular degeneration (AMD), the leading cause of blindness in Americans over 65.

The [American Journal of Ophthalmology](#) publishes the findings in its January edition.

"The take-home message is that it's never too late to quit smoking," said lead author Dr. Anne Coleman, professor of ophthalmology at the Jules Stein Eye Institute at UCLA. "We found that even older people's eyes will benefit from kicking the habit."

AMD causes progressive damage to the macula, the center of the [retina](#) that allows us to see fine details. When the macula degenerates, people experience darkness or blurring in their central vision, preventing them from being able to read, drive and recognize faces.

After age, smoking is the second most common risk factor for AMD. This study sought to determine whether age influences the effects of smoking on AMD risk.

Coleman and her colleagues followed a group of 1,958 [women](#) who underwent retinal photographs at five-year intervals, starting with a baseline exam at age 78. Four percent, or 75 of the women, smoked.

The researchers compared the retinal images at ages 78 and 83 to check for the appearance of AMD, and evaluate whether smoking affected the women's likelihood of developing the disease.

"Age is the strongest predictor for AMD, yet most of the research in this field has been conducted in people younger than 75," explained Coleman. "Our population was considerably older than those previously studied. This research provides the first accurate snapshot of how smoking affects AMD risk later in life."

Overall, women who smoked had 11 percent higher rates of AMD than other women their same age. In women over 80, however, those who smoked were 5.5 times more likely to develop AMD than women their age who did not smoke.

"We saw a slightly higher rate of AMD in women after age 80, but the rate was dramatically higher in older women who smoked," said Coleman. "The bottom line is that AMD risk increases with age. And if you smoke, your risk of developing the disease rises even more."

Cigarette smoking has been hypothesized to increase AMD risk by reducing serum antioxidant levels, altering blood flow to the eyes and decreasing retinal pigments.

"This study provides yet another compelling reason to stop [smoking](#) and suggests that it is never too late to quit," said Dr. Paul Sieving, director of the National Eye Institute.

Provided by University of California - Los Angeles

Citation: It's never too late to quit smoking and save your vision (2009, December 31) retrieved 27 April 2024 from <https://medicalxpress.com/news/2009-12-late-vision.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.