

# Parents: Be mindful of hazardous holiday ornaments

December 14 2009

---



This is an X-ray of a two-year-old boy after swallowing a battery from a Christmas ornament. The X-ray shows the battery (indicated by arrow) has moved into the colon. Credit: Courtesy Lois Lee, MD, Children's Hospital Boston

A new study from Children's Hospital Boston's Division of Emergency Medicine has found that holiday decorations, particularly glass ornaments, are one more safety hazard parents must consider during the season. A review of records from Children's Emergency Department revealed an average of five ornament-related injuries per year; more than half of these injuries involve a child eating fragments of these ornaments, including batteries and pieces of glass.

"Parents need to be vigilant during the holiday season, even though it's also a busy time of year," says co-author Lois Lee, MD, MPH, of Children's Division of [Emergency Medicine](#), who also directs the hospital's [Emergency Department](#) Injury Prevention Program. "If you know that your child has a tendency to put things in his or her mouth, you should be especially careful."

The retrospective study was published in the December 2009 issue of *Pediatric Emergency Care*.

The study authors conducted a computer search through emergency department records from Children's, dating October 1995 through March 2008, for words such as "holiday," "ornaments" and "glass." They narrowed their search down by manually inspecting the records that their computer search returned. Out of a total of 76 cases:

- 56 percent involved ingestion or taking fragments of ornaments or light bulbs into the mouth; more than a quarter of these injuries resulted in bleeding of the mouth or [gastrointestinal tract](#)
- 27 percent of cases involved lacerations; more than two-thirds of lacerations required surgical repair
- 85 percent of cases required radiological screening
- three patients were examined for potential toxin exposure
- two patients experienced minor electrocution
- only one case of ingestion involved an ornament not made of glass.

Ornament-related injuries often lead to otherwise avoidable medical procedures. Facial lacerations have required stitches. In addition, accidental ingestions have required testing with X-rays and CT scans, and there is particular concern of radiation exposure from CT scans in children. Such hospital visits are also an unwelcome inconvenience during the holiday festivities, Lee says.

The consistent injury rate occurring throughout the years examined in this study have researchers recommending that health professionals talk to parents about the use of holiday decorations and hazards that can be avoided.

"If there are toddlers in the house, keep them away from the Christmas tree, or at least keep the ornaments off the lower branches where the children can reach them," Lee says. Furthermore, parents may want to gate off the Christmas tree, and stabilize the tree to make sure it does not fall on anyone.

Source: Children's Hospital Boston ([news](#) : [web](#))

Citation: Parents: Be mindful of hazardous holiday ornaments (2009, December 14) retrieved 27 April 2024 from <https://medicalxpress.com/news/2009-12-parents-mindful-hazardous-holiday-ornaments.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--