

## **Can kitchen spoons be dangerous spoons?**

January 4 2010



Research led by Dr. Brian Wansink, director of the Cornell Food and Brand Lab, shows we should not rely upon kitchen spoons when measuring liquid medicine. Here, Dr. Wansink conducts a test pour in the lab's kitchen. Credit: Jason Koski

A new study published in the Jan. 5 issue of the *Annals of Internal Medicine* illustrates the dangers of using kitchen spoons to measure liquid medicine.

Former cold and flu sufferers were asked to pour one teaspoon of nighttime flu medicine into kitchen spoons of differing sizes. Depending upon the size of the spoon, the 195 former patients poured an average of eight percent too little or 12 percent too much medicine.

"When pouring into a medium-size tablespoon, participants under-dosed. But when using a larger spoon, they poured too much medicine," said Dr. Brian Wansink, Director of the Cornell Food and Brand Lab, who



led the study.

"Twelve percent more may not sound like a lot, but this goes on every four to eight hours, for up to four days," Wansink explained. "So it really adds up—to the point of ineffectiveness or even danger."

Visual illusions and spatial relationships are familiar topics in Wansink's work in food and eating behavior. In his book Mindless Eating: Why We Eat More Than We Think, he shows how smaller plates can unknowingly decrease how much people eat, and how taller glasses can decrease the amount of alcohol poured by even expert bartenders.

"Simply put, we cannot always trust our ability to estimate amounts," said the study's co-author, Dr. Koert van Ittersum, Assistant Professor of Marketing at Georgia Tech. "In some cases it may not be important, but when it comes to the health of you or your child, it is vital to make an accurate measurement."

Wansink and van Ittersum recommend using a proper device—a measuring cap or dropper, or dosing spoon or syringe—to measure liquid medicine.

Provided by Cornell Food & Brand Lab

Citation: Can kitchen spoons be dangerous spoons? (2010, January 4) retrieved 4 May 2024 from <u>https://medicalxpress.com/news/2010-01-kitchen-spoons-dangerous.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.