

# New virus is not linked to Chronic Fatigue Syndrome

January 6 2010

---



People with Chronic Fatigue Syndrome often suffer with painful joints.

(PhysOrg.com) -- New UK research, published today in *PLoS ONE*, has not reproduced previous findings that suggested Chronic Fatigue Syndrome may be linked to a recently discovered virus. The authors of the study, from Imperial College London and King's College London, say this means that anti-retroviral drugs may not be an effective treatment for people with the illness.

An estimated three in 1000 people have Chronic Fatigue Syndrome (CFS), or myalgic encephalomyelitis (ME), experiencing severe physical and [mental fatigue](#) that is not alleviated by rest, together with other symptoms such as [muscle pain](#), headache, joint pain and depression. Diagnosing CFS is difficult, as symptoms vary and there is no standard test. The fundamental cause of CFS is unknown and it is usually treated

using rehabilitation techniques such as [cognitive behavioural therapy](#) or graded [exercise therapy](#).

In October 2009, a group of US scientists published research in the journal *Science* that suggested that a recently discovered virus called XMRV could be linked to CFS. In their study, 68 out of 101 patients with the illness and 8 out of 218 healthy controls appeared to be infected with the virus.

However, in today's study, researchers found no evidence that patients with CFS had the XMRV virus, after analysing tissue samples from 186 patients with CFS using sensitive molecular testing techniques.

This more recent analysis showed no molecular evidence for XMRV in any of the samples from CFS patients. The researchers say this means that anti-retrovirals should not be used to treat CFS, as they would be unlikely to have an effect on the symptoms. However, several labs in the US now offer CFS patients treatments based on the earlier findings that linked the condition with XMRV.

Professor Myra McClure, one of the authors of the study from the Division of Medicine at Imperial College London, said: "Our research was carried out under rigorous conditions - we looked at samples from well-studied patients, and we used very sensitive testing methods to look for the virus. If it had been there, we would have found it. The lab in which we carried out the analysis had never housed any of the murine leukaemia viruses related to XMRV, and we took great care to ensure there was no contamination.

"We are confident that our results show there is no link between XMRV and Chronic Fatigue Syndrome, at least in the UK. The US study had some dramatic results that implied people with the illness could be treated with anti-retrovirals. Our recommendation to people with

Chronic Fatigue Syndrome would be not to change their treatment regime, because our results suggest that anti-retrovirals would not be an effective treatment for the condition," added Professor McClure.

After reading the US study, clinical researchers from King's College London sent blood samples from 186 CFS patients to the Imperial Retrovirology Laboratory team. King's has been running an NHS service for CFS patients for nearly twenty years, and the previously stored samples came from patients had been fully investigated and examined, meaning that CFS was the correct diagnosis.

The Imperial scientists extracted the DNA from the samples and analysed it using a sensitive technique, called Polymerase Chain Reaction (PCR), which can locate tiny fragments of virus DNA. The scientists analysed control samples of water at the same time to ensure there was no contamination. They also looked for a specific marker fragment of human DNA in the sample to make sure the technique was working.

The water controls contained no DNA, showing that the samples were not contaminated. All the test samples, from patients and healthy controls, contained the human DNA they looked for, suggesting the technique was working well.

Dr Anthony Cleare, Reader in Psychiatric Neuroendocrinology, one of the authors of the study from the Chronic Fatigue Syndrome Clinic at King's College London, said: "Chronic Fatigue Syndrome is a serious and debilitating condition. It can also be extremely frustrating for people with the illness, as we have yet to identify its fundamental cause, or come up with any definitive treatments. The recent US study generated real excitement among doctors and patients alike as it seemed to open up a new line of research. Unfortunately, we have not been able to replicate those findings."

"It is important to emphasise that today's findings do not invalidate all previous research, some of which has shown that CFS can be triggered by other infective agents, such as Epstein Barr Virus or Giardia parasites. As ever in science, no single study is conclusive and there are lots of other research groups working on this at the moment. We await their results with interest," added Professor Simon Wessely, another author of the study from the Chronic Fatigue Syndrome Clinic at King's College London.

**More information:** "Failure to Detect the Novel Retrovirus XMRV in Chronic Fatigue Syndrome" PLoS ONE, Wednesday 6 January 2010.

Provided by Imperial College London

Citation: New virus is not linked to Chronic Fatigue Syndrome (2010, January 6) retrieved 26 April 2024 from

<https://medicalxpress.com/news/2010-01-virus-linked-chronic-fatigue-syndrome.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.