

# Animals linked to human *Chlamydia pneumoniae*

February 22 2010

---



Professor Peter Timms from Queensland University of Technology is part of an international team of scientists who have discovered a link between animals and a common form on human pneumonia. Credit: Photo by Erika Fish, Queensland University of Technology.

Animals have been found to have infected humans sometime in the past with the common respiratory disease *Chlamydia pneumoniae*, according to Queensland University of Technology infectious disease expert Professor Peter Timms.

Unlike the sexually-transmitted form of Chlamydia, *Chlamydia pneumoniae* is a major bacterial germ that causes widespread respiratory disease in humans.

The discovery was made by an international team of scientists from QUT's Institute of Health and Biomedical Innovation and the Institute

for Genome Sciences (IGS) at the University of Maryland School of Medicine, who used koalas to prove the link between *Chlamydia pneumoniae* in animals and humans.

"We were able to sequence the genome (an organism's hereditary information) of *Chlamydia pneumoniae* obtained from an Australian koala and found evidence that human *Chlamydia pneumoniae* was originally derived from an animal source," Professor Timms said.

"Infections acquired from wildlife, known as zoonotic infections, are one of the most significant growing threats to global human health.

"We've already seen the impact of zoonotic infections with the H1N1 influenza pandemic which spread worldwide and originated from swines/pigs."

Professor Timms said the research revealed evidence that humans were originally infected zoonotically by animal isolates of *Chlamydia pneumoniae* which have adapted to humans primarily through the processes of gene decay.

He said *Chlamydia pneumoniae* was originally an animal pathogen that crossed the [species barrier](#) to humans and had adapted to the point where it could now be transmitted between humans.

"What we think now is that *Chlamydia pneumoniae* originated from amphibians such as frogs," he said.

Professor Timms said it was important to understand the origins of zoonotic infections to know the risk animal infections have to humans.

"It means we can look for solutions such as developing improved diagnostic tests, ensuring people take appropriate precautions to prevent

the disease spreading and also develop vaccines," he said.

Assistant Professor Garry Myers from the Institute for Genome Sciences said the findings indicated that the high [disease](#) burden of [Chlamydia pneumoniae](#) in humans may represent a major public health corollary of zoonotic infections.

The findings from the study have been published in the international *Journal of Bacteriology*.

Provided by Queensland University of Technology

Citation: Animals linked to human Chlamydia pneumoniae (2010, February 22) retrieved 3 May 2024 from <https://medicalxpress.com/news/2010-02-animals-linked-human-chlamydia-pneumoniae.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--