

# Biomedical Researchers Develop Device to Predict Wound Healing

May 25 2010

---

(PhysOrg.com) -- The new device can change the current landscape of chronic wound management.

Complex wounds affect more patients in the United States than heart attack and stroke combined, and five to seven million Americans with complex wounds account for over \$20 billion in healthcare expenditures. About 150,000 amputations a year result from complex wounds, while about 80,000 are attributed to diabetes and [peripheral arterial disease](#). There are currently no established methods for early detection of wound healing, or for precise identification of healing progress. Wound size is the only accepted indicator despite its variability and the fact that it reflects only what is happening on the surface.

A new breakthrough device developed by researchers can change the current landscape of chronic wound management. Researchers at Drexel University's School of Biomedical Engineering, Science and Health Systems developed a prototype device that measures the level of oxygenated and deoxygenated [hemoglobin](#) within and under a wound and compares it to a control/non-wound site of the same patient. Based on a human study at the Wound Clinic of the Drexel College of Medicine, the time course of oxygenated hemoglobin change was found to be a strong indicator of wound healing.

Diffuse Near-Infrared Spectroscopy allows tissue to be non-invasively analyzed by measuring its optical absorption and scattering coefficients. A "diagnostic window" exists at near [infrared wavelengths](#) (650 -900

nm) allowing determination of tissue [optical properties](#) at significant depths, because light is able to penetrate several centimeters into tissue due to low absorption of hemoglobin. The absorption spectra of oxy-hemoglobin and deoxy-hemoglobin are distinct at near-infrared wavelengths and with proper instrumentation the absolute concentrations of each can be determined.

A device prototype has been developed and tested over the course of several years. The device is controlled by software from a laptop computer and can move from patient to patient in a busy clinical setting. Measurements can be taken at any spot within or around the wound and take seconds to complete. Results are displayed on the computer screen almost instantly following the measurement. Improved prototypes are being designed. In its final stages the device will become more portable.

Advantages of the Drexel technology:

- Fast quantitative method for characterizing diabetic and pressure ulcers.
- Quantitative assessment of ischemic tissue in a broad variety of clinical applications.
- Ability to predict [wound healing](#) due to therapy at least 50 percent earlier (four weeks as opposed to 8 weeks or more) compared to conventional methods.

Funding for the project is supported through a Coulter Foundation Translational Research grant. The Coulter Foundation is a private, nonprofit foundation dedicated to supporting biomedical engineering translational research that addresses unmet health care needs.

Provided by Drexel University

Citation: Biomedical Researchers Develop Device to Predict Wound Healing (2010, May 25)  
retrieved 27 April 2024 from  
<https://medicalxpress.com/news/2010-05-biomedical-device-wound.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.