

Calcium consumption may cause prostate cancer in Chinese

June 1 2010

Among Chinese men, calcium consumption — even at relatively low levels and from non-dairy food sources such as soy, grains and green vegetables — may increase prostate cancer risk, according to results published in *Cancer Research*, a journal of the American Association for Cancer Research.

"Our results support the notion that <u>calcium</u> plays a risk in enhancing the role of prostate <u>cancer development</u>," said lead researcher Lesley M. Butler, Ph.D., assistant professor of epidemiology at Colorado State University, Fort Collins, Colo. "This study is the first to report an association at such low levels and among primarily non-dairy foods."

Some studies conducted in North American and European populations have linked high consumption of dairy products to an increased risk of prostate cancer. A few studies have suggested that calcium in milk is the causative factor, however the evidence is not clear.

In an Asian diet, non-dairy foods like tofu, grains and vegetables such as broccoli, kale and bok choy are the major contributors of <u>calcium intake</u>. Therefore, Butler and colleagues speculated that people who are exposed to those calcium-rich food sources in an Asian diet may also be at increased risk for prostate cancer.

Using data from the Singapore Chinese Health Study, the researchers evaluated whether dietary calcium increased prostate cancer risk in a population of 27,293 Chinese men aged 45 to 74 years, with low dairy



consumption. The study was restricted to men who belonged to two major dialect groups of Chinese people living in Singapore: the Hokkiens and the Cantonese.

The Singapore Chinese Health Study, funded by the U.S. National Institutes of Health, National Cancer Institute, is a population-based prospective study initiated between 1993 and 1998.

Participants completed a food frequency questionnaire to assess their diet over the past year. Of these men, 298 were diagnosed with incident prostate cancer.

Butler and colleagues at Colorado State University, the National University of Singapore and the University of Minnesota assessed the participant's diet at baseline. Since it is suggested that calcium is absorbed more so in smaller individuals, the researchers accounted for body mass index (BMI) in this Chinese population.

Results showed a 25 percent increased risk of prostate cancer when comparing those who consumed, on average, 659 mg vs. 211 mg of total calcium a day, according to the study.

Major food sources of calcium in this population consisted of: vegetables (19.3 percent), dairy (17.3 percent), grain products (14.7 percent), soyfoods (11.8 percent), fruit (7.3 percent) and fish (6.2 percent). However, the researchers stress that there was no positive association with prostate cancer risk and any one particular food source.

Among men with less than average BMI (median BMI was 22.9 kg/m2), the researchers found a twofold increased risk of prostate cancer.

"It was somewhat surprising that our finding was consistent with previous studies because nearly all of them were conducted among



Western populations with diets relatively high in calcium and primarily from dairy food sources," Butler said.

Edward Giovannucci, M.D., Sc.D., professor of epidemiology and nutrition at Harvard School of Public Health, who is not associated with this study, said these results add more evidence that calcium is a causative factor of prostate cancer.

"However, there are some aspects that require further study," he said.
"First, they found an association with relatively low intakes of calcium, whereas most previous studies suggested an association with high intake of calcium. Also, they found an association mostly in lean men, and whether this is true or is a chance finding requires further study."

Provided by American Association for Cancer Research

Citation: Calcium consumption may cause prostate cancer in Chinese (2010, June 1) retrieved 18 April 2024 from

https://medicalxpress.com/news/2010-06-calcium-consumption-prostate-cancer-chinese.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.