

# Dying of cold -- more heart attacks in cooler weather

August 10 2010

---

Lower outdoor temperatures are linked to an increase in the risk of heart attacks, according to a new study by scientists at the London School of Hygiene & Tropical Medicine (LSHTM).

For the study the researcher, led by Krishnan Bhaskaran of LSHTM found that each 1°C reduction in temperature on a single day is associated with around 200 extra heart attacks.

Bhaskaran and colleagues analysed data on 84,010 patients admitted to hospital with a [heart attack](#) between 2003 and 2006 and compared this with daily temperatures in England and Wales. The results were adjusted to take into account factors such as air pollution, influenza activity, seasonality and long term trends.

He found that a 1°C reduction in average daily temperature was associated with a cumulative 2% increase in risk of heart attack for 28 days. The highest risk was within two weeks of exposure. The heightened risk may seem small but in the UK there are an estimated 146,000 heart attacks every year, so even a small increase in risk translates to around 200 extra heart attacks for each 1°C reduction in temperature on a single day.

"Older people between the ages of 75 and 84 and those with previous coronary heart disease seemed to be more vulnerable to the effects of temperature reductions," comments Krishnan Bhaskaran, "while people who had been taking aspirin long-term were less vulnerable." He

continues, "We found no increased risk of heart attacks during higher temperatures, possibly because the temperature in the UK is rarely very high in global terms. Our results suggest that even in the summer, the risk is increased by temperature reductions." In conclusion, he says "our study shows a convincing short term increase in the risk of myocardial infarction (heart attacks) associated with lower ambient [temperature](#), predominantly in the two weeks after exposure."

He says that further studies need to be conducted to see what measures could be used to avoid the increased risk, such as advising patients, particularly the elderly, to wear suitable clothing and to heat their homes sufficiently.

**More information:** *British Medical Journal* [bmj.com](http://bmj.com)

Provided by London School of Hygiene & Tropical Medicine

Citation: Dying of cold -- more heart attacks in cooler weather (2010, August 10) retrieved 10 May 2024 from <https://medicalxpress.com/news/2010-08-dying-cold-heart-cooler.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.