

Infant's gaze may be an early, but subtle, marker for autism risk

September 1 2010

Kennedy Krieger Institute announced today new study results showing an early marker for later communication and social delays in infants at a higher-risk for autism may be infrequent gazing at other people when unprompted. Published in the September issue of the *Journal of Child Psychology and Psychiatry*, the study also found that six-month-old high-risk infants demonstrated the same level of cause and effect learning skills when compared to low-risk infants of the same age.

The study observed 25 infant [siblings](#) of children with autism (high-risk group) and 25 [infants](#) with no family history of autism (low-risk group) at six months of age in order to assess cause and effect learning as well as social engagement. Infant siblings of children with autism are considered at high-risk for the disorder, as they are 25 times more likely to develop autism. Researchers at Kennedy Krieger, in collaboration with colleagues at the University of Delaware, created a novel, multi-stimuli social learning task, where infants were seated in a custom chair with an attached joystick within easy reach, a musical toy located to the right and their caregiver on the left. Researchers evaluated how quickly the infant learned that the joystick activated the toy and the infant's level of [social engagement](#) with their caregiver.

Researchers found that, like the low risk group, the high-risk siblings exhibited typical levels of social gazing when their caregivers actively engaged them, such as pointing at the toy and expressing excitement. However, high-risk sibs spent less time looking to their caregivers and more time fixated on the non-social stimuli (toy or joystick) when the

caregiver was not engaging them, which could indicate a disruption in development related to joint attention. Joint attention is often a core deficit for children with autism.

"My colleagues and I wanted to create a task that would involve learning something novel and would give babies an opportunity to pay attention to either an object or their [caregiver](#)," said Dr. Rebecca Landa, corresponding study author and director of Kennedy Krieger's Center for Autism and Related Disorders. "This study shows that there is a particular vulnerability in high-risk siblings at six months of age. They are not as socially interactive and engaged on their own as their peers, but still respond typically when engaged by their caregivers, making for a subtle difference that could be easily overlooked by both parents and some professionals."

The study also showed no evidence of impaired associative learning in the high-risk siblings. Both groups demonstrated cause and effect learning abilities; once the infants learned that pulling the joystick activated the toy, they increased how often they pulled on the joystick to activate the toy's music. This finding supports past research demonstrating that associative learning is a relative strength in older individuals with autism and may help to explain why children with autism respond well to teaching approaches that utilize a predictable reward system when children exhibit desired behaviors.

"Babies in both groups of the study learned the multi-stimuli task to the same degree," said Dr. Landa. "While the high-risk siblings are at a higher risk for developing autism later in life, they still have the capacity to learn cause and effect as well as their low-risk peers at this young age."

Implications from the overall study findings reveal that like older children, infants at high risk for autism may benefit from frequent

exposure to simple cause and effect learning opportunities to aid in their development. For example, Landa recommends using simple songs paired with easy, predictable gestures to promote language and social learning, rather than using electronic toys that children can enjoy and operate without engaging with their peers or caregivers.

It is expected that about 20% of the high-risk infants in this study will receive a diagnosis of autism. While participants in this study have not yet reached their third birthday, the age at which the research diagnoses are confirmed, the study findings help to highlight the vulnerability of developing social initiation skills in high-risk infants. This study is the first of its kind, and a follow-up will soon be published from the Center for [Autism](#) and Related Disorders at Kennedy Krieger Institute.

Provided by Kennedy Krieger Institute

Citation: Infant's gaze may be an early, but subtle, marker for autism risk (2010, September 1) retrieved 9 April 2024 from

<https://medicalxpress.com/news/2010-09-infant-early-subtle-marker-autism.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
