

Sparkling drinks spark pain circuits

September 28 2010

You may not think of the fizz in soda as spicy, but your body does.

The [carbon](#) dioxide in fizzy drinks sets off the same pain sensors in the [nasal cavity](#) as mustard and horseradish, though at a lower intensity, according to new research from the University of Southern California.

"Carbonation evokes two distinct sensations. It makes things sour and it also makes them burn. We have all felt that noxious tingling sensation when soda goes down your throat too fast," said Emily Liman, senior author of a study published online in the [Journal of Neuroscience](#).

That burning sensation comes from a system of nerves that respond to sensations of pain, skin pressure and temperature in the nose and mouth.

"What we did not know was which cells and which molecules within those cells are responsible for the painful sensation we experience when we drink a carbonated soda," said Liman, an associate professor of neurobiology in the USC College of Letters, Arts and Sciences.

By flowing carbonated saline onto a dish of [nerve cells](#) from the sensory circuits in the nose and mouth, the researchers found that the gas activated only a particular type of cell.

"The cells that responded to CO₂ were the same cells that detect mustard," Liman said.

These cells express a gene known as [TRPA1](#) and serve as general pain

sensors.

Mice missing the TRPA1 gene showed "a greatly reduced response" to carbon dioxide, Liman said, while adding the TRPA1 genetic code to CO₂-insensitive cells made them responsive to the gas.

Now that carbonated beverages have been linked to [pain](#) circuits, some may wonder why we consume them. A new park in Paris even features drinking fountains that dispense free sparkling water.

Liman cited studies going back as far as 1885 that found carbonation dramatically reduced the growth of bacteria.

"Or it may be a macho thing," she speculated.

If only a sip of San Pellegrino were all it took to prove one's hardiness.

The pain-sensing TRPA1 provides only one aspect of carbonation's sensory experience. In 2009, a group led by Charles Zuker of the University of California, San Diego and Nicholas Ryba of the National Institutes of Health showed that carbonation trips [cells](#) in the tongue that convey sourness.

Provided by University of Southern California

Citation: Sparkling drinks spark pain circuits (2010, September 28) retrieved 20 April 2024 from <https://medicalxpress.com/news/2010-09-pain-circuits.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--