

Researchers uncover culprits in lifethreatening clotting disorder

December 3 2010



An investigation led by Drs. Philip Shaul and Chieko Mineo offers new clues into the mechanisms underlying antiphospholipid syndrome, a potentially life-threatening condition predisposing people to blood clots. Credit: UT Southwestern Medical Center

Thanks to findings by UT Southwestern Medical Center researchers, individuals with a potentially life-threatening condition predisposing them to blood clots, or thrombosis, might someday receive therapy to prevent the condition.

The findings, available online and in a future issue of *The* Journal of



<u>Clinical Investigation</u>, offer new clues into the mechanisms underlying antiphospholipid syndrome (APS).

"Patients with APS have circulating <u>antibodies</u> that cause exaggerated <u>thrombosis</u>. The longstanding mystery has been how these antibodies initiate the clotting," said Dr. Philip Shaul, professor of pediatrics and senior co-author of the study.

For the study, the researchers first examined the direct actions of APS antibodies on cultured endothelial cells, which line the inside of blood vessels.

They discovered that the thrombosis-inducing antibodies recognize a protein called Beta2-Glycoprotein I on the endothelial cell surface that then interacts with a second protein, apolipoprotein E receptor 2 (apoER2). ApoER2 ultimately inactivates the enzyme that produces the antithrombotic molecule nitric oxide. The decrease in nitric oxide causes both <u>white blood cells</u> and platelets to bind to the <u>endothelium</u>, initiating the thrombosis.

Dr. Shaul said the findings are quite promising because they identify the series of molecular events responsible for the exaggerated thrombosis.

The study also found that in contrast to normal mice, mice genetically engineered to lack apoER2 are completely protected from developing thrombosis when they are given APS antibodies collected from individuals with the syndrome.

"Patients with thrombosis often require lifelong anti-coagulation therapy," he said. "The problem with this approach is that the anticoagulation can be ineffective, and there are multiple potential serious complications related to bleeding. It makes much more sense to develop new therapies that target the underlying disease mechanism."



Dr. Chieko Mineo, assistant professor of pediatrics and senior co-author of the study, said the findings are particularly important for pregnant women with APS because they are at high risk of miscarriage and preterm birth.

"Even if a woman with APS does carry to term, the infant is often smaller than normal and can suffer from multiple complications," Dr. Mineo said. "Our ongoing studies indicate that the mechanisms we have identified that provoke thrombosis are also operative in APS during pregnancy to adversely affect the health of both the mother and the fetus."

The next step, Dr. Shaul said, is to test in the mouse models three novel therapeutic interventions that are based on the new understanding of APS.

"If they prevent thrombosis or pregnancy complications in the mouse models, clinical trials would of course follow," Dr. Shaul said.

Provided by UT Southwestern Medical Center

Citation: Researchers uncover culprits in life-threatening clotting disorder (2010, December 3) retrieved 23 May 2024 from <u>https://medicalxpress.com/news/2010-12-uncover-culprits-life-threatening-clotting-disorder.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.