

New research reveals unexpected biological pathway in glaucoma

January 3 2011

In a study published today in the *Proceedings of the National Academy of Sciences* (Early Edition ahead of print), a team of researchers from the Kennedy Krieger Institute and four collaborating institutions, identified a new and unexpected biological pathway that appears to contribute to the development of glaucoma and its resulting vision loss.

Prior research has suggested that the optic nerve head, the point where the cables that carry information from the eye to the brain first exit the eye, plays a role in glaucoma. In this study, researchers report a series of findings that offer novel insights into cellular and molecular mechanisms operating at the optic nerve head in two mouse models of glaucoma. Most notably, they discovered that at a specific location within the optic nerve head, there is a unique class of cells called <u>astrocytes</u> that demonstrate properties that appear to make them a critical factor in the visual blinding that occurs in glaucoma.

Further, at this same site, researchers found abnormal forms of a protein called gamma synuclein that is similar to abnormal forms of <u>alpha</u> <u>synuclein</u>, a related protein known for its key role in cell loss in Parkinson's disease. The findings suggest that a biological process similar to Parkinson's disease unfolds in glaucoma at the specific anatomical location pinpointed in this study for the first time.

Finally, researchers discovered that at this anatomical location, there is a surprising process whereby astrocytes remove the debris of neurons, the cells that die in neurodegenerative disorders such as glaucoma. It is



likely that this newly discovered process involving removal of the debris of one cell by a neighboring cell is important not only in glaucoma and Parkinson's disease, but also for many <u>neurodegenerative diseases</u>.

"These findings are very exciting because they give us several novel targets for future interventions," said Dr. Nicholas Marsh-Armstrong, senior study author and a research scientist at Kennedy Krieger Institute. "I believe these findings put us on the cusp of discovering a treatment for glaucoma that may also have relevance for a number of other neurodegenerative diseases."

Future studies will examine this novel pathway and molecular/cellular mechanism to understand precisely what steps go awry in <u>glaucoma</u> and what can be controlled pharmacologically to identify interventions that slow the disease progression.

Dr. Marsh-Armstrong and other scientists at Kennedy Krieger Institute collaborated on this study with colleagues at the Johns Hopkins University School of Medicine, University of California at San Diego, Cardiff University in England, and the University of Murcia in Spain.

Glaucoma is a neurodegenerative disorder that causes blindness by damaging the optic nerve, which sends signals from the eye to the brain. It affects more than 60 million people and is the second leading cause of blindness worldwide. While older individuals are at higher risk for the disease, babies and children are also susceptible to glaucoma, especially those with certain neurological disorders.

Provided by Kennedy Krieger Institute

Citation: New research reveals unexpected biological pathway in glaucoma (2011, January 3) retrieved 6 May 2024 from



https://medicalxpress.com/news/2011-01-reveals-unexpected-biological-pathway-glaucoma.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.