

Homeless people without enough to eat are more likely to be hospitalized

February 3 2011

Homeless people who do not get enough to eat use hospitals and emergency rooms at very high rates, according to a new study. One in four respondents to a nationwide survey reported not getting enough to eat, a proportion six times higher than in the general population, and more than two thirds of those had recently gone without eating for a whole day. The report will appear in the *Journal of General Internal Medicine* and has been released online.

"The study is the first to highlight the association between food insufficiency and health care use in a national sample of homeless adults," says lead author Travis P. Baggett, MD, MPH, of the Massachusetts General Hospital (MGH) General Medicine Division. "Our results suggest a need to better understand and address the social determinants of health and health-care-seeking behavior,"

Baggett and a team of investigators at MGH and the Boston Health Care for the Homeless Program analyzed survey data from 966 adult respondents to the 2003 nationwide Health Care for the Homeless User Survey. They found that homeless people who did not have enough to eat had a higher risk of being hospitalized in a medical or psychiatric unit than did those with enough to eat and also were more likely to be frequent users of emergency rooms. Neither relationship could be explained by individual differences in illness. Nearly half of the hungry homeless had been hospitalized in the preceding year and close to one-third had used an emergency room four or more times in the same year.



Baggett explains the study was sparked by his clinical experience caring for homeless individuals. "Homeless patients with inadequate food may have difficulty managing their health conditions or taking their medications. They may postpone routine health care until the need is urgent and may even use emergency rooms as a source of food. Whether expanding food services for the very poor would ameliorate this problem is uncertain, but it begs further study." Baggett is an instructor in Medicine at Harvard Medical School.

Provided by Massachusetts General Hospital

Citation: Homeless people without enough to eat are more likely to be hospitalized (2011, February 3) retrieved 10 April 2024 from https://medicalxpress.com/news/2011-02-homeless-people-hospitalized.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.