

New mode of dementia care improves health, lowers hospitalization rates

February 10 2011

An innovative model of dementia care developed by researchers at the Indiana University School of Medicine and the Regenstrief Institute significantly reduces emergency department visits and hospitalizations, and encourages use of medications that are not harmful to older brains. The result is improved health for older adults and their family caregivers and lower healthcare costs, according to a paper evaluating the model in real world use.

The paper appears in Volume 15, Issue 1, 2011 of the peer-reviewed journal *Aging & Mental Health*.

"We successfully translated the memory care model we developed into actual practice, taking it from promising research to a clinical trial, which we published in *JAMA* [*Journal of American [Medical](#) Association*] in 2006, and now to actual practice with the Healthy Aging Brain Center at Wishard Health Services, serving patients from metropolitan Indianapolis, throughout the Midwest and from as far away as Texas and California," said paper first author Malaz Boustani, M.D., M.P.H., an associate professor of medicine at Indiana University School of Medicine, a Regenstrief Institute investigator and an Indiana University Center for Aging Research scientist.

Within a year of an initial HABC visit, only 28 percent of patients had visited a hospital emergency department compared to 50 percent of similar patients not seen at the HABC. For those who were hospitalized, HABC patients had an average inpatient stay of five days in contrast to

the average inpatient stay of seven days for non-HABC patients.

"These numbers show without a doubt that improved dementia care benefits patients, their family caregivers and the entire healthcare system. Our patients get prescription and over-the counter medications that don't harm the aging brain. They don't need emergency treatment as often, and if they are hospitalized, they spend significantly less time there than those who don't receive dementia care using our model. In addition to the obvious health benefits, all this puts less emotional and financial burden on the individual, family members, and the system paying for health care," said Dr. Boustani, a geriatrician.

Family caregivers, estimated by the Alzheimer's Association to exceed 10 million Americans, typically are not a focus of memory care in spite of the fact that they provide hundreds of millions of unpaid care hours per year and are hospitalized at a very high rate.

"With the HABC model we have extended the definition of patient to include family members who enable cognitively impaired individuals to live in the community. Our physicians, nurses, social workers and other staff members work closely with both the older adult and family caregivers in the medical office and in the home as well as over the phone and via e-mail, to deliver efficient, good care which reduces depression as well as improving physical health," said Dr. Boustani, a geriatrician.

The HABC model is being studied by others who provide memory care at sites across the United States and in Europe.

Currently an estimated 5.3 million Americans have Alzheimer's disease. Eight out of 10 individuals with dementia live outside of nursing homes. Many have significant behavioral or psychological symptoms requiring medical and psychological care.

More information: *Aging Ment Health*. 2011 Jan;15(1):13-22

Provided by Indiana University School of Medicine

Citation: New mode of dementia care improves health, lowers hospitalization rates (2011, February 10) retrieved 2 May 2024 from <https://medicalxpress.com/news/2011-02-mode-dementia-health-lowers-hospitalization.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.