

# Researchers conclude nonprofit hospices disproportionately care for costly patients

February 1 2011

---

For-profit hospice agencies had a higher percentage of patients with diagnoses associated with less skilled care and longer lengths of stay (LOS) in hospice, than their nonprofit counterparts, a difference that may leave "nonprofit hospice agencies disproportionately caring for the most costly patients," Beth Israel Deaconess Medical Center researchers report.

The findings appear in the Feb.2 issue of the [Journal of the American Medical Association](#) (*JAMA*).

"There was a big increase in the number of for-profit hospice agencies from 2000 to 2007, and previous work has shown that those agencies tended to have significantly higher [profit margins](#) than their nonprofit counterparts," said lead author, Melissa W. Wachterman, MD, MPH, a palliative care physician and research fellow in BIDMC's Division of General Medicine and Primary Care. "The Medicare per diem payment rate is the same, regardless of patient diagnosis, location in which care is received (for example, private home versus nursing home), or length of stay, and we wanted to know whether for-profit and nonprofit hospices were responding differently to potential [financial incentives](#) inherent in the Medicare Hospice Benefit."

Researchers examined a nationally representative sample of patients discharged from hospice, primarily due to death (85 percent) in 2007. In all, data from 4,705 patients, representing an estimated 1.03 million patients discharged from hospice nationwide, were analyzed, looking at

diagnosis, location of care, length of stay, and number of visits per day by different hospice care providers.

The data showed that nonprofit hospice agencies had a higher proportion of the types of patients who required more visits from skilled care providers than for-profit agencies. For example, nonprofit agencies had a higher proportion of cancer patients, while for-profit agencies had a higher proportion of dementia patients. Cancer patients required more visits per day from skilled personnel such as nurses and social workers than patients with dementia. Wachterman explains that patient selection of this nature has important policy implications because caring for [dementia](#) patients rather than cancer patients "could be financially advantageous for hospices under the current capitated reimbursement system."

However, it is important to note that "clinicians caring for patients considering hospice can be reassured that for-profit hospices provide as many nursing visits to patients with a given diagnosis as nonprofit hospices," adds senior author Ellen McCarthy, PhD, MPH, an epidemiologist at BIDMC and a professor of medicine at Harvard Medical School.

The study also looked at length of stay and found that the median LOS for patients in for-profit hospice agencies was four days longer when compared with nonprofit hospice agencies. Because there are considerable fixed costs at the time of enrollment in hospice and again at the time of death, longer stays are "thought to be more profitable," the study noted.

The significant differences between for-profit and nonprofit hospice agencies mean that hospices serving the neediest patients "may face difficult financial obstacles to providing appropriate care in this fixed per-diem payment system," explains Wachterman.

These findings may "have potentially important implications both for clinicians taking care of [patients](#) at the end of life and for policymakers in the area of Medicare hospice payment." The study may help inform current debate around payment reform in the Medicare Hospice Benefit.

The Medicare Payment Advisory Committee (MedPAC) has recommended a U-shaped reimbursement plan that considers the intensity of care required at the beginning and end of a hospice stay. The plan also recommends that a higher per diem rate be paid for the first 30 days of enrollment and a standard payout be made at the time of death.

**More information:** *JAMA*. 2011;305[5]:472-479.

Provided by Beth Israel Deaconess Medical Center

Citation: Researchers conclude nonprofit hospices disproportionately care for costly patients (2011, February 1) retrieved 23 April 2024 from <https://medicalxpress.com/news/2011-02-nonprofit-hospices-disproportionately-costly-patients.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--