

# Eye movement differs in British and Chinese populations: study

March 24 2011

---

The team, working with Sichuan University in Chengdu, China, investigated eye movements in Chinese and British people to further understanding of the brain mechanisms that control them and how they compare between different human populations. They found that a type of eye movement, that is rare in British people, is much more common in Chinese people, suggesting that there could be subtle differences in brain function between different populations.

Tests of eye movements can be used to help identify signs of brain injury or disease, such as schizophrenia and multiple sclerosis, in populations across the world. Research at Liverpool, however, has shown that within the Chinese population there are a high proportion of healthy people that exhibit a pattern of eye movements previously thought to be rare in the absence of injury or disease. Findings, published in the journal *Experimental Brain Research*, suggest that this pattern may not be as effective as a signal of altered [brain function](#), in every global community, as originally thought.

Working in China and in Britain, the team tested fast eye movements, called saccades. Participants in the study were asked to respond to spots of light with their eyes as they appeared suddenly to the right or left of their line of sight. The [reaction time](#) of the eye movements was the key measure that differentiated between Chinese and non-Chinese groups.

Dr Paul Knox, from the Institute of Ageing and Chronic Disease, explains: "In a person from any country in the world we would expect

the reaction time of fast [eye movements](#) to be approximately a fifth of a second. Very rarely we find some people with eye movement reaction times that are much shorter than this, at around a tenth of a second. This, however, is usually assumed to be a sign of an underlying problem that makes it difficult to keep the eyes pointing where you would like for a long enough period.

"In our study, as we expected, 97% of British people had the common fifth of a second delay, and only 3% had the much faster response. In our Chinese group, however, 30% had the faster, less common response. Our participants were healthy, with normal vision, and yet the eye movement pattern previously thought to be rare, was relatively common in Chinese people.

"There could be a number of explanations for this and further investigation is needed to fully understand why populations differ. It could be that culture - where we grow up, the education, work and social activities we are exposed to - influence these particular biological responses even though our physical make-up is the same.

"The other possibility is that there are basic differences in brain structure and function that produce the kind of behaviour we identified. Maps of the brain were developed many years ago and were largely based on European populations. This became the blueprint for [brain](#) structure, but there could be differences between various populations."

Scientists are now investigating eye movement in Chinese people born and living in Britain compared to Chinese populations born in China but now living in Britain. The study aims to further understanding into the cultural effects on eye movement behaviour.

Provided by University of Liverpool

Citation: Eye movement differs in British and Chinese populations: study (2011, March 24)  
retrieved 10 April 2024 from  
<https://medicalxpress.com/news/2011-03-eye-movement-differs-british-chinese.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.