

Sign language users read words and see signs simultaneously

March 22 2011

(PhysOrg.com) -- People fluent in sign language may simultaneously keep words and signs in their minds as they read, according to an international team of researchers.

In an experiment, deaf readers were quicker and more accurate in determining the meaningful relationship between English word pairs when the word pairs were matched with similar signs, according to Judith Kroll, Distinguished Professor of Psychology, Linguistics and Women's Studies, Penn State. The slightly better [reaction time](#) and improved accuracy rate indicates that the readers are able to juggle both English and sign language at the same time.

"If a sign language user is a bilingual juggler they might not respond to the connections between the signs and words in a conscious way," said Kroll, who serves as the director of Penn State's Center for Language Science. "But we can design experiments to measure the unconscious response."

The study shows that sign language users are similar to other [bilinguals](#), said Kroll, who also worked with Jill Morford, professor, University of New Mexico; Erin Wilkinson, assistant professor, University of Manitoba; Agnes Villwock, student, University of Hamburg; and Pilar Pinar, associate professor, Gallaudet University.

"This reflects previous research on bilinguals that shows both languages are active even when they're reading or speaking one language," Kroll

said.

According to Morford, who was the lead author for the study, the research also represents the growing acceptance among the scientific community that sign language is a real language.

"This work is critical to help make the science of studying American Sign Language every bit as rigorous as the study of other languages," said Morford.

The researchers, who released their findings in a recent issue of *Cognition*, tested 19 deaf adults who were fluent in American [Sign Language](#) as they decided whether pairs of English words were related or unrelated in meaning.

A total of 120 word pairs was divided into two groups of 60 word pairs that had either related or unrelated meanings. Of the related pairs, such as bird-duck, 14 also had similar signs while 16 of the unrelated word pairs had similar signs. In ASL, signs are considered related if they have similar hand shapes, locations, movements or orientations. The researchers added a number of randomly assigned word pairs to complete the test.

When the participants encountered word pairs and signs that were related, the reaction time was significantly faster and more accurate than the reaction of a control group made up of 15 bilingual speakers who spoke English as a second language.

When the word pairs were matched with unrelated signs, the participants' reaction time was slower and less accurate.

"You see interference," said Kroll. "The reaction isn't slowed down enough to cause issues in the day-to-day usage of the language, but

there's a momentary gap in processing that indicates that the bilingual is not processing information like monolinguals."

Provided by Pennsylvania State University

Citation: Sign language users read words and see signs simultaneously (2011, March 22) retrieved 5 May 2024 from

<https://medicalxpress.com/news/2011-03-language-users-words-simultaneously.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--