

Study shows pharmacies' software systems miss potentially dangerous interactions

May 17 2011

A study conducted at the University of Arizona College of Pharmacy found that only 28 percent of pharmacies' clinical decision support software systems – the computer programs that are in place to alert pharmacists to possible medication problems – correctly identified potentially dangerous drug-drug interactions.

The study was conducted at 64 pharmacies across Arizona. Members of the research team tested the pharmacy <u>software</u> using a set of prescription orders for a standardized fictitious patient. The prescriptions consisted of 18 different medications that posed 13 clinically significant drug-drug <u>interactions</u>. Of the 64 pharmacies, only 18 correctly identified all of the eligible drug-drug interactions and non-interactions.

"These findings suggest that we have a fundamental problem with the way interactions are evaluated by drug knowledge databases," says Daniel Malone, PhD, UA professor of pharmacy and lead investigator on the study. "The weakness of these systems could lead to medication errors that might harm patients. Pharmacists should become familiar with how their computer system identifies drug interactions. Consumers should always inform their doctor and pharmacist about all medications and other therapies they are using. The risk of harm from dangerous combinations can be reduced when patients create and maintain a medication list."



Provided by University of Arizona

Citation: Study shows pharmacies' software systems miss potentially dangerous interactions (2011, May 17) retrieved 3 May 2024 from https://medicalxpress.com/news/2011-05-pharmacies-software-potentially-dangerous-interactions.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.