

Potential new predictor of male reproductive potential identified

May 11 2011

The distance between a man's scrotum and anus may indicate his ability to reproduce, said researchers from Baylor College of Medicine in the journal *PLoS ONE*.

"We have observed in animal studies that anogenital distance (the distance between the scrotum and anus) is an important measure for genital development and may be shorter in males with abnormal testicular development and function," said Dr. Michael Eisenberg, a male reproductive medicine and surgery fellow in the Scott Department of Urology at BCM and lead author on the study. "We initiated a clinical study to determine if the distance varied between infertile men and fertile adult men. If so, this could help us develop a novel method to evaluate patients with impaired reproductive potential."

Eisenberg and his research team measured the anogenital distance and penile length of 117 infertile men and 56 fertile men from an andrology clinic.

They found that the infertile men possessed a significantly shorter anogenital distance and penile length when compared with the fertile men, though they also note the need for further studies to compare anogenital distance measurement techniques and assess their accuracy and reproducibility.

"There are two main implications of this study – first, this could represent a non-invasive way to test testicular function and reproductive



potential in <u>adult men</u> and second, it suggests that gestational exposures and development may impact adult testicular function."

Provided by Baylor College of Medicine

Citation: Potential new predictor of male reproductive potential identified (2011, May 11) retrieved 17 April 2024 from

https://medicalxpress.com/news/2011-05-potential-predictor-male-reproductive.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.