

## **New version of WHO Fracture Risk Assessment Tool (FRAX) launched**

June 1 2011

The WHO Fracture Risk Assessment Tool (FRAX®) is an important new calculation tool, available free online at <a href="http://www.shef.ac.uk/FRAX/">http://www.shef.ac.uk/FRAX/</a>, that is being used by a steadily increasing number of physicians around the world to calculate a patient's 10-year probability of fracture based on scientifically validated risk factors. The tool is country specific and can be used with or without the input of Bone Mineral Density (BMD) values.

Launched on June 1st, version 3.3 of the tool now includes models for the Czech Republic, Poland, Romania and Tunisia, with two additional languages (Czech and Korean). An updated FAQ section provides considerable background and support information and the addition of a counter for each model (plus total usage) as of June 1, 2011, will help give an overview of how widely and frequently the tool is being used around the world.

The tool is now available for countries/territories in the following regions:

- Asia China, Hong Kong, Taiwan, Japan, Singapore (3 models),
  Philippines, South Korea
- Europe Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Hungary, Netherlands, Italy, Malta, Poland, Romania, Spain, Sweden, Switzerland, Turkey, UK



- Middle East and Africa Jordan, Lebanon, Tunisia
- North America Canada, US (4 models)
- Latin America Argentina, Colombia, Mexico
- Oceania Australia, New Zealand

Users may select their language of choice when utilizing the tool. Version 3.3 is available in the following 16 languages: English, Arabic, Chinese (traditional and simplified), Czech, Danish, Finnish, French, German, Korean, Japanese, Polish, Russian, Spanish, Swedish, Turkish. In addition, an additional DXA scanning model (DMS/Medilink) has been added to the calculator.

One of the founders of FRAX®, Dr Eugene McCloskey, Professor in Adult Bone Disease and Honorary Consultant at the Metabolic Bone Centre, University of Sheffield UK, said, "Previously, doctors tended to rely primarily on BMD values in making treatment decisions. FRAX® represents a real advance in that it helps clinicians make more informed treatment decisions based on multiple scientifically validated <u>risk factors</u>. The tool is continually being updated and improved. We are pleased that with version 3.3, patients in four additional countries are now able to benefit from improved <u>fracture risk</u> assessment."

Widely accessible in various clinical settings:

FRAX is also available on several types of densitometers and as an application on the i-Phone and i-Pad obtainable through the IOF at <a href="http://itunes.apple.com/us/app/frax/id370146412?mt=8">http://itunes.apple.com/us/app/frax/id370146412?mt=8</a>. The FRAX pad, an A5 leaflet, allows patients to input risk variables prior to medical consultation and is available from the IOF website at



http://www.iofbonehealth.org/health-professionals/frax.html in several languages. Where computer access is limited, paper charts can be downloaded that give fracture probabilities for each index country according to the number of clinical risk factors. Hand held calculators are used in Japan and Poland.

## Provided by International Osteoporosis Foundation

Citation: New version of WHO Fracture Risk Assessment Tool (FRAX) launched (2011, June 1) retrieved 2 May 2024 from

https://medicalxpress.com/news/2011-06-version-fracture-tool-frax.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.