

Falls may be early sign of Alzheimer's

July 18 2011, By Michael C. Purdy

Falls and balance problems may be early indicators of Alzheimer's disease, researchers at Washington University School of Medicine in St. Louis report July 17, 2011, at the Alzheimer's Association International Conference on Alzheimer's Disease in Paris.

Scientists found that study participants with brain changes suggestive of early Alzheimer's disease were more likely to fall than those whose brains did not show the same changes. Until now, falls had only been associated with Alzheimer's in the late stages of dementia.

“If you meet these people on the street, they appear healthy and have no obvious cognitive problems,” says lead author Susan Stark, PhD, associate professor of physical therapy and neurology. “But they have changes in their brain that look similar to Alzheimer's disease, and they have twice the typical annual rate of falls for their age group.”

Stark and her colleagues recruited 119 volunteers from studies of aging and health at Washington University's Knight Alzheimer's Disease Research Center. All the participants were 65 or older and cognitively normal.

Brain scans showed that 18 participants had high levels of amyloid plaques, a hallmark of Alzheimer's. The other 101 volunteers had normal amyloid levels in the brain.

Participants were given a journal and asked to note any falls. When they did so, the researchers followed up with a questionnaire and a phone

interview about the falls. This follow-up allowed researchers to gather information for future analyses that will compare and contrast the nature of the falls.

About one in three adults age 65 or older typically fall each year. But in the 18 participants with high amyloid levels in the brain, two-thirds fell within the first eight months of the study. High levels of amyloid in the brain were the best predictor of an increased risk of falls.

“Falls are a serious health concern for older adults,” Stark says. “Our study points to the notion that we may need to consider preclinical Alzheimer’s disease as a potential cause.”

Provided by Washington University School of Medicine in St. Louis

Citation: Falls may be early sign of Alzheimer's (2011, July 18) retrieved 27 April 2024 from <https://medicalxpress.com/news/2011-07-falls-early-alzheimers.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.