

## Small amounts of antibiotics generate big problems

## July 22 2011

New research conducted at Uppsala University shows that extremely low concentrations of antibiotics can enrich for antibiotic resistant bacteria. The research suggests that antibiotic residue introduced to the environment via people and animals contributes to the problem of antibiotic resistance. The findings have just been published in the well-respected journal *PLoS Pathogens*.

Antibiotic resistance is a growing medical problem that threatens the effectiveness of health care the world over. It has until now been thought that <u>resistant bacteria</u> were primarily selected in people and <u>animals</u> undergoing high-dosage <u>antibiotic treatment</u> for infection. The just-published findings indicate, however, that the very low concentrations of <u>antibiotics</u> found in such external environments as sewage systems, lakes and rivers also play a role in selecting for resistance.

"About half of the antibiotic dose used in treating a person or animal leaves the body in unchanged, active form via the urine," explains Uppsala University Professor Dan Andersson, who led the study jointly with Professor Diarmaid Hughes, also of Uppsala University.

Antibiotics released are spread via sewage systems to water and soil. Stable antibiotics can remain active in the environment for a very long time, causing enrichment of resistant bacteria, which in turn can infect people and animals via, for example, food. It is estimated that in Sweden alone, 10 to 20 tonnes of active antibiotics are released each year to the environment via the urine of people and animals treated for infection. It



is plausible that more than 100,000 tonnes of antibiotics annually enter the environment in this way worldwide, though the figure is subject to uncertainty.

Highly sensitive laboratory experiments involving susceptible and resistant bacteria growing together under conditions of competition showed that selection for resistant bacteria can occur in the presence of fluoroquinolones, a class of chemically very stable antibiotics, at concentrations as low as 0.1 ng/ml.

"These findings, besides underlining the general importance of reducing antibiotic use, raise the question whether positive measures should be taken to purify sewage water of antibiotics to reduce selection for resistant bacteria in natural environments," says Dan Andersson. "No specific measures are in place today. It may be that efforts should be made to inactivate water-borne antibiotics at water treatment plants, despite the high cost of currently available methods."

**More information:** <u>www.plospathogens.org/article/info</u> %3Adoi%2F10.1371%2Fjournal.ppat.1002158

Provided by Uppsala University

Citation: Small amounts of antibiotics generate big problems (2011, July 22) retrieved 17 May 2024 from <u>https://medicalxpress.com/news/2011-07-small-amounts-antibiotics-big-problems.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.