

Modified Ecstasy holds promise as potent blood cancer treatment

August 19 2011

(Medical Xpress) -- Researchers in Britain revealed Friday they are exploring whether the nightclubbers' drug ecstasy could be effective in treating blood cancers.

Scientists at the University of Birmingham have discovered a modified form of the drug MDMA - commonly known as Ecstasy - which has 100 times more cancer-busting properties than the popular recreational drug itself and which they hope may be able to be produced in a safe form to treat patients.

Research results published online today in the journal *Investigational New Drugs* show significant success in 'redesigning the designer drug' for potential use as a cancer-killing agent in the treatment of leukaemia, lymphoma and myeloma.

The new work builds on the Birmingham scientists' discovery six years ago that more than half of the cancers of white blood cells they looked at responded in the test tube to the growth-suppressing properties of psychotropic drugs. These include amphetamine derivatives such as Ecstasy and weight-loss pills, and antidepressants such as fluoxetine (Prozac).

At the time, the team stressed that translating their laboratory findings into a useable clinical compound would present significant problems, not least because the dose of MDMA required to treat a cancerous tumour would have proved fatal to the patient. They aimed to break down the

actions of the drug to isolate its cancer-killing properties from its general toxicity.

Working with researchers from the University of Western Australia who produced the new compounds for them, the Birmingham scientists found specially modified forms of Ecstasy boosted in their ability to attack and destroy cancerous cells by a factor of 100. Importantly for the future, they believe they understand the mechanism behind this.

Lead author Professor John Gordon, from the University of Birmingham's School of Immunology and Infection, explains: 'Together, we were looking at structures of compounds that were more effective. They started to look more lipophilic, that is, they were attracted to the lipids that make up cell walls. This would make them more 'soapy' so they would end up getting into the cancer cells more easily and possibly even start dissolving them. By knowing this we can theoretically make even more potent analogues of MDMA and eventually reach a point where we will have in our drug cabinet the most potent form we could.'

He adds: 'This is an exciting next step towards using a modified form of MDMA to help people suffering from blood cancer. While we would not wish to give people false hope, the results of this research hold the potential for improvement in treatments in years to come.'

The team now hopes to go on to develop pre-clinical studies.

Dr David Grant, Scientific Director of the national charity Leukaemia & Lymphoma Research, which part funded the research, comments: "The prospect of being able to target blood cancer with a drug derived from Ecstasy is a genuinely exciting proposition. Many types of lymphoma remain hard to treat and non-toxic drugs which are both effective and have few side effects are desperately needed. Further work is required but this research is a significant step forward in developing a potential

new cancer drug.”

More information: Paper: Enhancing the anti-lymphoma potential of 3,4-methylenedioxymethamphetamine (Ecstasy) through iterative chemical redesign: mechanisms and pathways to cell death.

Provided by University of Birmingham

Citation: Modified Ecstasy holds promise as potent blood cancer treatment (2011, August 19) retrieved 20 April 2024 from <https://medicalxpress.com/news/2011-08-ecstasy-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.