

# Temporary ER staff poses increased safety risk to patients

August 25 2011

---

Temporary staff members working in a hospital's fast-paced emergency department are twice as likely as permanent employees to be involved in medication errors that harm patients, new Johns Hopkins research suggests.

Results of the research raise serious issues related to temporary nursing staff in particular because they already are a substantial and growing part of the health care workforce owing to the national [nursing shortage](#). These fill-ins are used to plug holes in both short-term and long-term work schedules, and are seen as a cheaper alternative to permanent hires. They tend to earn more per hour, but don't receive benefits.

The Hopkins team cautions that while it may be easy to blame the temps themselves for the errors, the problem is probably more diffuse and complex. "A place that uses a lot of temporary staff may have more quality of care issues in general," says Julius Cuong Pham, M.D., Ph.D, an assistant professor of anesthesiology and [critical care medicine](#) and [emergency medicine](#) at the Johns Hopkins University School of Medicine and the study's leader. "It may not be the temporary staff that causes those errors but a function of the whole system."

The Hopkins team says its findings do suggest however that the temp strategy in hospital staffing may be exacting a price in patient harm and that temp staff's unfamiliarity with the practices and systems of a new hospital could be more costly in the long run in terms of patient safety. "Our work suggests that if you can, you probably want to avoid hiring

temporary staff because they are associated with more severe [medical errors](#)," Pham says.

Pham and his colleagues did their study by examining a national Internet-based voluntary medication error reporting system and data from 2000 and 2005, encompassing nearly 24,000 emergency department medication errors among 592 hospitals. Medication errors made by temporary workers were more likely to reach the patient, result in at least temporary harm and also be life-threatening, they found. The findings appear in the July/August issue of the *Journal for Healthcare Quality*.

Pham says temporary personnel are often not familiar with local staff, care management systems, protocols or procedures. This may hamper communication and teamwork that causes them difficulty in retrieving important medical information and leave them unsure of which procedures to follow. Temporary help may be less likely to speak up if they see problems and also lag behind the latest knowledge because, unlike permanent employees, temps typically manage their own continuing education.

"You may know the medicine," Pham says, "but you still may get tripped up by the policies and procedures of an unfamiliar system. This can lead to more serious errors."

The [emergency department](#) is a unique environment with a high risk for medication errors, likely due to the increased severity of injury or disease, the rapidity with which lifesaving decisions must be made, the medical complexities encountered and overcrowding. Many medications are ordered, dispensed and administered in the ED without the standard pharmacy check that occurs in nonemergency situations elsewhere in a hospital. There is a higher prevalence of verbal orders and they are often given urgently.

Pham says it isn't known whether the correlation between temporary workers and more serious [medication errors](#) exists in other hospital service areas. Further research is needed to determine that, he says.

Hospital administrators may not want to use temporary staff, but may have no choice but to hire temporary help or be understaffed depending on the situation. Some temporary nurses and doctors spend a month or a couple of months in a city and then move to the next, not because they can't hold down a permanent job but because they like to travel to new places, Pham says. While some temporary are used in a single department over that time to give them a chance to become more familiar with procedures, others are moved from unit to unit as needed, giving them fewer opportunities to get up to speed.

Provided by Johns Hopkins Medical Institutions

Citation: Temporary ER staff poses increased safety risk to patients (2011, August 25) retrieved 26 April 2024 from

<https://medicalxpress.com/news/2011-08-temporary-er-staff-poses-safety.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--