

New imaging technique visualizes cancer during surgery

September 19 2011

Ovarian cancer is one of the most frequent forms of cancer that affect women. As tumors can initially grow unchecked in the abdomen without causing any major symptoms, patients are usually diagnosed at an advanced stage and have to undergo surgery plus chemotherapy. During the operation, surgeons attempt to remove all tumor deposits as this leads to improved patient prognosis. To do this, however, they primarily have to rely on visual inspection and palpation - an enormous challenge especially in the case of small tumor nests or remaining tumor borders after the primary tumor excision.

Yet surgeons could now be getting support from a new multispectral fluorescence [imaging system](#) developed by a team of researchers in Munich, headed by Vasilis Ntziachristos, Professor of [Biological Imaging](#). A study carried out on nine patients with [ovarian cancer](#) has shown that the new system can be used to localize cancer cells during surgery. Before the operation, the patients were injected with folic acid chemically coupled to a green fluorescent dye. Most [ovarian tumors](#) have a [protein molecule](#) on their surface that bonds with folic acid and transports it inside the cell. This protein is known as the folate receptor alpha. During [abdominal surgery](#), the surgeon can then shine a special [laser light](#) onto the patient's ovaries, causing the green-labeled folic acid inside the cancer cells to emit light. Healthy tissue remains dark.

The fluorescent cancer cells, however, cannot be detected by the naked eye. Three cameras, mounted on a pivoting support arm over the operating table, detect optical and fluorescent signals at multiple spectral

bands and then correct for light variations due to illumination and tissue discolorations in order to provide truly accurate fluorescence images that can be simultaneously displayed with corresponding color images on monitors in the operating room. The surgeon can thus check whether all the [cancer cells](#) have been removed by inspecting for remnant fluorescence light. In eight of the nine patients, doctors were able to remove small clusters of tumor cells that might otherwise have gone undetected. The multispectral fluorescence imaging system has thus passed its first OR test. However, it will have to prove its value to improve clinical outcome in further operations before it can be deployed for routine surgical procedures.

The researchers in Munich and Groningen also want to further develop the camera system so it can be used to detect other forms of tumors during operations. Of significant importance in future developments is the ability to offer accurate fluorescence imaging so that data collected reflect true presence of disease. "The use of advanced, real-time optical technology will allow us to standardize data collection and accuracy so that studies performed at multiple clinical centers can be accurately compared and analyzed" explains Prof. Vasilis Ntziachristos. This is important for the clinical acceptance of the technology and its approval by regulatory agencies. In the future patient selection through personalized medicine approaches, for example by obtaining a molecular profile of the tumor of each patient, would further enable custom-tailored surgical treatment of improved accuracy. The team is also planning to build a version for minimally invasive operations.

Provided by Technische Universitaet Muenchen

Citation: New imaging technique visualizes cancer during surgery (2011, September 19)
retrieved 25 April 2024 from
<https://medicalxpress.com/news/2011-09-imaging-technique-visualizes-cancer-surgery.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.