

Scientists identify a key molecule that blocks abnormal blood vessel growth in tumors

September 21 2011

A new and better understanding of blood vessel growth and vascular development (angiogenesis) in cancer has been made possible by research carried out by a team of scientists from Moffitt Cancer Center, the University of Florida, Harvard University, Yale University and the Children's Hospital of Los Angeles.

The research team published the results of their investigation in a recent issue of [Proceedings of the National Academy of Sciences](#).

"Vascular development is a fundamental [biological process](#) that is tightly controlled by both pro-and anti-angiogenic mechanisms," said Edward Seto, Ph.D., a co-author of the study and professor and chairman of the Department of Molecular Oncology at Moffitt. "Physiological [angiogenesis](#) occurs in adults only under specific settings. Excess angiogenesis contributes to a variety of diseases, including cancer. In cancer, [vascular endothelial growth factor](#) (VEGF) is commonly overproduced."

The goal of the research was to determine how angiogenesis is regulated by positive and negative biological activities.

"Understanding the biological principles that direct vascular growth has important [clinical implications](#) because cancers are highly vascularized," concluded Seto.

This meant seeking a better understanding of the relationship between

the chromatin insulator binding factor CTCF and how it regulates VEGF expression.

"At the heart of vascular development is VEGF which, in precise doses, is an important stimulator of normal blood vessel growth," explained Seto. "However, VEGF – probably the most important stimulator of normal and pathological [blood vessel growth](#) – is regulated by a number of factors."

According to Seto, the study suggests that CTCF can block VEGF from being activated. Therefore, targeting CTCF may be an effective way to fine tune VEGF and control angiogenesis. The potential to manipulate CTCF opens a window to regulate VEGF and subsequently, the potential to manage angiogenesis and cancer.

"The real significance of this work has been apparent in experiments done at the University of Florida and at Harvard University, where our colleagues used mouse models to demonstrate that depletion of CTCF produces excess angiogenesis in animals," explained Seto. "Like finding a small key piece in a giant puzzle, it's truly exciting."

Provided by H. Lee Moffitt Cancer Center & Research Institute

Citation: Scientists identify a key molecule that blocks abnormal blood vessel growth in tumors (2011, September 21) retrieved 29 April 2024 from <https://medicalxpress.com/news/2011-09-scientists-key-molecule-blocks-abnormal.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--