

# Scientists develop urine test for cancer

September 16 2011

---

Scientists at the University of Birmingham have developed a ground-breaking technique that uses a urine test to help to diagnose adrenal cancer.

The test, which enables endocrinologists to distinguish between harmless and cancerous tumours, uses a biomarker tool to measure excreted levels of [steroid hormones](#) which are produced by the [adrenal glands](#).

The breakthrough is reported online today in the [Journal of Clinical Endocrinology and Metabolism](#).

"This is the first [urine test](#) for this application; we can detect the "hormone fingerprint" of a tumor and diagnose cancer faster and more efficiently than with costly imaging procedures," reports Professor Wiebke Arlt, who led the collaborative Medical Research Council-funded study with Professor Paul Stewart at the University's Center for Endocrinology, Diabetes and Metabolism.

Adrenal tumors affect around two per cent of the UK adult population and are more common with age. Hard to detect, they are often picked up from routine CT scans for other conditions. It is estimated that up to ten per cent of 70-80 year-olds have an adrenal tumour without realizing.

A small but significant number of adrenal nodules will prove cancerous. Adrenal cancer is an aggressive disease, mainly occurring in middle-aged adults. Because of the glands' location deep in the body, most cancerous tumours are not found until they are large and have metastasized

(spread) to surrounding tissue via the lymph system and blood. In spite of surgery, survival rates remain poor.

Professor Arlt explains: "The imaging procedures and blood tests currently in use for diagnosing adrenal cancer have poor sensitivity and specificity and often cannot tell the difference between benign and malignant tumors, while biopsies are fairly non-informative."

Many patients end up undergoing multiple scans, which are not only time-consuming and expensive but expose the patient to repeated episodes of radiation.

The Birmingham team used gas chromatography mass spectrometry to measure and compare multiple steroid metabolites in urine samples from all over the UK and Europe, in collaboration with the European Network for the Study of Adrenal Tumors. Computational analysis of results produced profiles of benign and malignant tumors, enabling the most informative biomarkers to be identified.

The test will now be offered via the University of Birmingham's joint venture company Bioscience Ventures Ltd.

Professor Arlt adds: "The next step is the validation of our diagnostic test in clinical practice, which is planned soon, hopefully supported by the NIHR (National Institute of Health Research)."

Provided by University of Birmingham

Citation: Scientists develop urine test for cancer (2011, September 16) retrieved 5 May 2024 from <https://medicalxpress.com/news/2011-09-scientists-urine-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.