

Midwest, West highest in contemplating suicide

October 20 2011, By MIKE STOBBE , AP Medical Writer

(AP) -- More adults in the Midwest and West have suicidal thoughts than people in the rest of the country, but Rhode Island leads in suicide attempts, according to the first government study of its kind.

The [Centers for Disease Control and Prevention](#) study, released Thursday, presents a different look at suicide in America - one that focuses on suicide in the planning stages.

"This report highlights that we have opportunities to intervene before someone dies by suicide. We can identify risks and take action before a suicide attempt takes place," said CDC Director Dr. Thomas Frieden, in a statement.

Overall, the Midwest and West had significantly higher rates of suicide contemplation than the South and Northeast. Researchers say they don't have any data to explain why some states or regional were different than others.

Utah had the highest rate of serious thoughts of suicide (1 in 15 adults) while Rhode Island was at the top of the range for planning a suicide (1 in 36) and [suicide attempts](#) (1 in 67).

Georgia was at the bottom of the range for suicide thoughts (1 in 50), planning a suicide (1 in 1,000) and, along with Delaware, for suicide attempts (1 in 1,000).

The study was based on confidential surveys of more than 90,000 U.S. adults in 2008 and 2009. The participants did not include homeless people, those in the military or those hospitalized with [psychiatric problems](#).

The government's previous state-by-state suicide data was suicide deaths, with the highest rates in rustic Western states like Alaska, New Mexico, Wyoming and Montana.

The new study's results suggest that places where a lot of people report contemplating suicide may not be the same places where suicide is most common.

For example, Rhode Island had one of the nation's lowest [suicide rates](#) in 2007. But in the new study, it ranked at the top in terms of both suicide planning and attempts.

Researchers aren't sure why, but there are theories.

Perhaps demographics are part of the answer. Adolescents and females had the highest rates of thinking about suicide, while older males have the highest rates of actual suicide deaths, said Dr. Alex Crosby, a CDC epidemiologist who is the study's lead author.

So a state with a lot of young people and women might look high in suicide thoughts and planning, but not as high in deaths.

Also, it's possible that suicide attempts in places like Alaska or Wyoming tend to use guns or other methods that are more lethal. It's also possible that suicide planners in sparsely populated Western states have fewer friends or health professionals around to save them, said Matthew Nock, a Harvard University psychology professor who has researched suicide patterns.

The CDC collaborated with the Substance Abuse and Mental Health Services Administration on the study, which is part of a federal effort to get better data on the nation's suicide problem. About 36,000 Americans die from suicide annually, and more than 600,000 go to hospitals with injuries from [suicide](#) attempts.

More information: CDC report: <http://tinyurl.com/3rsnj38>

©2011 The Associated Press. All rights reserved. This material may not be published, broadcast, rewritten or redistributed.

Citation: Midwest, West highest in contemplating suicide (2011, October 20) retrieved 10 April 2024 from <https://medicalxpress.com/news/2011-10-midwest-west-highest-contemplating-suicide.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--