

Keeping track of reality: Why some of us better at remembering what really happened

October 4 2011

A structural variation in a part of the brain may explain why some people are better than others at distinguishing real events from those they might have imagined or been told about, researchers have found.

The University of Cambridge scientists found that normal variation in a fold at the front of the brain called the paracingulate sulcus (or PCS) might explain why some people are better than others at accurately remembering details of previous events -such as whether they or another person said something, or whether the event was imagined or actually occurred. The research was published today, 05 October, in the [Journal of Neuroscience](#).

This brain variation, which is present in roughly half of the normal population, is one of the last structural folds to develop before birth and for this reason varies greatly in size between individuals in the healthy population. The researchers discovered that adults whose [MRI scans](#) indicated an absence of the PCS were significantly less accurate on [memory](#) tasks than people with a prominent PCS on at least one side of the brain. Interestingly, all participants believed that they had a good memory despite one group's memories being clearly less reliable.

Dr Jon Simons from the University of Cambridge's Department of [Experimental Psychology](#) and Behavioural and Clinical Neuroscience Institute, who led the research, said: "As all those who took part were healthy adult volunteers with typical educational backgrounds and no reported history of [cognitive difficulties](#), the memory differences we

observed were quite striking. It is exciting to think that these individual differences in ability might have a basis in a simple brain folding variation.

"Additionally, this finding might tell us something about [schizophrenia](#), in which [hallucinations](#) are often reported whereby, for example, someone hears a voice when nobody's there. Difficulty distinguishing real from imagined information might be an explanation for such hallucinations. For example, the person might imagine the voice but misattribute it as being real. PCS reductions have been reported in previous studies of schizophrenia, and our results are consistent with the idea that this structural variability might directly influence the functional capacity of surrounding brain areas and the cognitive abilities that they support."

For the study, the researchers recruited 53 healthy volunteers based on their brain scans which showed either a clear presence or absence of the PCS in the left or right brain hemisphere. Participants were presented either with well-known word-pairs like "Laurel and Hardy" or with the first word of a word-pair and a question mark ("Laurel and ?"). In the latter condition, participants were instructed to imagine the second word of the word-pair. Then, either they or the experimenter was instructed to read the word-pair out aloud. After a delay, a memory test was given where participants tried to remember whether they had seen or imagined the second word of each previously-encountered word-pair, or whether they or the experimenter had read the word-pair out aloud. Participants with absence of the PCS in both [brain](#) hemispheres scored significantly worse than the others at remembering both kinds of detail.

More information: The paper 'A Specific Brain Structural Basis for Individual Differences in Reality Monitoring' will be published in the 05 October edition of *Journal of Neuroscience*.

Provided by University of Cambridge

Citation: Keeping track of reality: Why some of us better at remembering what really happened (2011, October 4) retrieved 3 May 2024 from <https://medicalxpress.com/news/2011-10-track-reality.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.