


New research on body parts' sensitivity to environmental changes

November 21 2011



Alexander Shingleton, assistant professor of zoology, led an MSU team of researchers studying why some body parts are more sensitive to environmental changes than others, work that could someday lead to better ways of treating certain diseases. Credit: G.L. Kohuth, University Relations, Michigan State University

Research by a team of Michigan State University scientists has shed new light on why some body parts are more sensitive to environmental change than others, work that could someday lead to better ways of treating a variety of diseases, including type 2 diabetes.

The research, led by assistant zoology professor Alexander Shingleton, is detailed in the recent issue of the [PLoS Genetics](#).

In particular, Shingleton is studying the genetics of fruit flies and zeroing in on why some of the insects' body parts will grow to full size even when suffering from malnutrition, while others will not. He uses [fruit flies](#) because they use the same genes to control this process as humans.

"The developmental mechanisms by which these changes in body proportion are regulated are really unknown," Shingleton said.

Shingleton said that in humans, a person's brain will grow to near full size despite malnutrition or other environmental, or nongenetic, problems.

If scientists can figure out why some organs or body parts are either overly sensitive or insensitive to [environmental factors](#), then it's possible that therapies could be developed to deal with any number of maladies.

"If we know how we can control sensitivity to environmental issues such as malnutrition, we can, in principle, manipulate genes that are regulating that sensitivity," Shingleton said. "Genes can be activated so they can actually restore sensitivity."

[Type 2 diabetes](#) is a good example of the body's insensitivity to nongenetic issues. The most common form of diabetes, type 2, occurs when the body becomes insensitive to insulin, which is released in response to [blood sugar levels](#). The body needs insulin to be able to use glucose for energy.

"In diabetes, that response is suppressed," Shingleton said. "We get desensitization. We know people become insulin resistant, but we're not quite sure why."

What Shingleton and colleagues discovered is that even when malnourished, the [genitals](#) of a male fruit fly continue to grow to normal

size.

"The same developmental mechanism that a fly uses to make its genitals insensitive to changes in nutrition may be the same that we as humans use to modulate the responsiveness of individual body parts to changes in nutrition," he said. "Our job is to try to understand why some body parts are responsive to changes in nutrition and others aren't."

Using the fruit fly for this type of research "gives us enormous information about how we as humans work and how we respond to our environment," Shingleton said. "This provides information on biomedical issues that arise from things like [malnutrition](#) or insulin resistance."

Provided by Michigan State University

Citation: New research on body parts' sensitivity to environmental changes (2011, November 21) retrieved 6 May 2024 from

<https://medicalxpress.com/news/2011-11-body-sensitivity-environmental.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--