

# Maternal separation stresses the baby

November 2 2011

---

A woman goes into labor, and gives birth. The newborn is swaddled and placed to sleep in a nearby bassinet, or taken to the hospital nursery so that the mother can rest. Despite this common practice, new research published in *Biological Psychiatry* provides new evidence that separating infants from their mothers is stressful to the baby.

It is standard practice in a hospital setting, particularly among Western cultures, to separate mothers and their newborns. Separation is also common for babies under medical distress or [premature babies](#), who may be placed in an incubator. In addition, the American Academy of Pediatrics specifically recommends against co-sleeping with an infant, due to its association with [Sudden Infant Death Syndrome](#), or SIDS.

Humans are the only mammals who practice such maternal-neonate separation, but its physiological impact on the baby has been unknown until now. Researchers measured [heart rate variability](#) in 2-day-old sleeping babies for one hour each during skin-to-skin contact with mother and alone in a cot next to mother's bed. Neonatal autonomic activity was 176% higher and quiet sleep 86% lower during [maternal separation](#) compared to skin-to-skin contact.

Dr. John Krystal, Editor of [Biological Psychiatry](#), commented on the study's findings: "This paper highlights the profound impact of maternal separation on the infant. We knew that this was stressful, but the current study suggests that this is major physiologic [stressor](#) for the infant."

This research addresses a strange contradiction: In animal research,

separation from mother is a common way of creating stress in order to study its damaging effects on the developing newborn brain. At the same time, separation of human newborns is common practice, particularly when specialized medical care is required (e.g. incubator care). "Skin-to-skin contact with mother removes this contradiction, and our results are a first step towards understanding exactly why babies do better when nursed in skin-to-skin contact with mother, compared to incubator care," explained study author Dr. Barak Morgan.

More research is necessary to further understand the newborn response to separation, including whether it is sustained response and whether it has any long-term neurodevelopmental effects.

However, skin-to-skin contact has known benefits, and certainly, most would agree that unnecessarily stressing a newborn is unacceptable. Thus, as further evidence emerges, the challenge to doctors will be to incorporate skin-to-skin contact into routine treatment whilst still safely providing the other elements of newborn medical care.

**More information:** The article is "Should Neonates Sleep Alone?" by Barak E. Morgan, Alan R. Horn, and Nils J. Bergman. The authors are affiliated with University of Cape Town, Western Cape, South Africa. The article appears in *Biological Psychiatry*, Volume 70, Number 9 (November 1, 2011)

Provided by Elsevier

Citation: Maternal separation stresses the baby (2011, November 2) retrieved 2 May 2024 from <https://medicalxpress.com/news/2011-11-maternal-stresses-baby.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.